3789
107

22.S.291

PROPERTY OF THE
PUBLIC LIBRARY OF THE
CITY OF BOSTON,
DEPOSITED IN THE
BOSTON MEDICAL LIBRARY.

No. 3789.107

GIVEN BY

Thos. N. Cook.

.M. DEC 18

C. APR 17.

L. B. 5/16/98

PRICE, 50 CENTS.

DRUGGIST'S

HAND-BOOK

3789.107

OF

AMERICAN and FOREIGN DRUGS,

THEIR

COMMON, ENGLISH AND BOTANICAL NAMES,

ARRANGED IN ALPHABETICAL ORDER

BY

CHENEY & MYRICK,

BOSTON, MASS.

15 UNION STREET.

BOSTON:
J. E. FARWELL & CO., PRINTERS,
45 PEARL STREET.
1878.

DRUGGIST'S

HAND-BOOK

OF

3789.107

AMERICAN and FOREIGN DRUGS,

PREPARATIONS, &c.

SOLD BY

CHENEY & MYRICK,

BOSTON, MASS.

No. 13 UNION STREET.

BOSTON:
J. E. FARWELL & CO., PRINTERS,
45 PEARL STREET.
1878.

CHENEY & MYRICK,

Wholesale Dealers in, and Exporters of

American Drugs,

Jobbers in Drugs, Chemicals, Essential Oils, etc.

MANUFACTURERS OF

FLUID EXTRACTS, ECLECTIC AND PHARMACEUTICAL PREPARATIONS.

PRESSED HERBS AND HOPS,

A Specialty.

AGENTS FOR

B. KEITH & CO.'S (New York)

PURE

CONCENTRATED MEDICINES.

13 Union Street,

BOSTON, MASS.

Thomas N. Cook
May 16, 1898

PREFACE.

In the compilation of this HAND-BOOK, we have consulted standard authorities for correct Botanical names. For medical properties and uses we have taken medical works of acknowledged reputation.

Our aim has been to compile the best and most convenient Hand-book for correct and quick reference which has ever been published, for the use of the Wholesale Druggist, the Retail Apothecary, and the Physician. With an experience of more than thirty years in the Botanic Drug trade, we have seen much of the perplexity which arises from the confusion of names given to our native plants, and we believe this little HAND-BOOK will aid others in surmounting those perplexities, and be a boon long sought for by all Dealers.

CHENEY & MYRICK.

ABBREVIATIONS.

ABO.	ABORTIVE—Capable of producing abortion.
ACI.	ACIDULOUS—Substances which possess a sourish taste.
ACR.	ACRID—Occasioning irritation at the top of the throat.
ADE.	ADENAGIC—Acting on the glandular system.
ALE.	ALEXPHARMIC—Preventing the bad effects of poisons inwardly.
ALT.	ALTERATIVE—Capable of producing a salutary change in a disease.
ANO.	ANODYNE—Relieving pain or causing it to cease.
ANT.	ANTHELMINTIC—Destroying or expelling worms.
A-APH.	ANTI-APHRODISIAC—Capable of blunting the venereal appetite.
A-BIL.	ANTI-BILIOUS—Correcting the bile and bilious secretions.
A-EME.	ANTI EMETIC—A remedy for vomiting.
A-LIT.	ANTI-LITHIC—Preventing the formation of calculous matter.
A-PER.	ANTI-PERIODIC—Arresting morbid periodical movements
A-PHL.	ANTI-PHLOGISTIC—Opposed to inflammation,
A-SCO.	ANTI-SCORBUTIC—Opposed to scurvy.
A-SEP.	ANTI-SEPTIC—Opposed to putrefaction.
A-SPA.	ANTI-SPASMODIC—Correcting and relieving spasms.
A-SYP.	ANTI-SYPHILITIC—Acting against the venereal disease.
A-VEN.	ANTI-VENOMOUS—Used against bites of venomous insects or snakes, etc.
APE.	APERIENT—Gently opening the bowels.
APH.	APHRODISIAC—Medicine believed capable of exciting the venereal appetite.
ARO.	AROMATIC - Agreeable. spicy.
AST.	ASTRINGENT—Contracting the organic textures.
BAL.	BALSAMIC—Mild, healing, soothing.
BIT.	BITTER—Having a tonic effect.
CAR.	CARMINATIVE—Allaying pain by expelling the flatus.
CAT.	CATHARTIC—Increasing the number of the alvine evacuations.

CEP.	CEPHALIC—Relating to the head.
CHO.	CHOLAGOGUE—Causing the flow of bile.
COR.	CORROBORANT—Strengthening and giving tone.
C-IRR.	COUNTER-IRRITANT—Causing irritation in one part to relieve pain in another part.
DEM.	DEMULCENT—Correcting acrid conditions in the humors.
DEO.	DEOBSTRUENT—Removing obstructions
DEP.	DEPURATIVE—Purifying the blood.
DET.	DETERGENT—Deterging or cleansing parts of wounds, etc.
DIA.	DIAPHORETIC—Promoting moderate perspiration.
DIS.	DISCUTIENT—Repelling or resolving tumors.
DIU.	DIURETIC—Increasing the secretion of the urine.
DRA.	DRASTIC—Operating powerfully on the bowels.
EME.	EMETIC—Capable of producing vomiting.
EMM.	EMMENAGOGUE—Favoring the discharge of the menses.
EMO.	EMOLLIENT—Relaxing and softening inflamed parts.
ERR.	ERRHINE—Discharge from the nose.
ESC.	ESCULENT—Eatable as food.
EXA.	EXANTHEMATOUS—Relating to eruption or skin diseases of an eruptive nature.
EXC.	EXCITANT—Stimulant.
EXP.	EXPECTORANT—Facilitating or provoking expectorations.
FAR.	FARINACEOUS—Containing farina; mealy; employed as nutriment.
FEB.	FEBRIFUGE—Abating or driving away fevers.
F-COM.	FEMALE COMPLAINTS.
GAL.	GALACTAGOGUE—Favoring the secretion of milk.
HER.	HERPATIC—Attacking cutaneous diseases.
HYD.	HYDRAGOGUE—Capable of expelling serum.
HYP.	HYPNOTIC—Promoting sleep, somniferous
INS.	INSECTICIDE—A substance that destroys insects.
LAX.	LAXATIVE—Gently cathartic.
MAT.	MATURATING—Favoring the maturation or ripening of tumors, boils or ulcers.
MUC.	MUCILAGINOUS—Resembling gum in its character.
NAR.	NARCOTIC—Having the property of stupefying.
NAU.	NAUSEANT—Exciting nausea.
NEP.	NEPHRITIC—Relating to the kidneys.
NER.	NERVINE—Acting on the nervous system.
NUT.	NUTRITIVE—Relating to nutrition.
OPT.	OPHTHALMICUM—A remedy for diseases of the eye.
ORN.	ORNAMENTAL—Cultivated for ornament.
PAR.	PARTURIENT—Inducing or promoting labor.
PEC.	PECTORAL—Relating to the breast.

PHRE.	PHRENIC—Relating to the diaphragm.
POI.	POISONOUS—Producing death if taken in improper doses.
PUN.	PUNGENT—Biting, hot, acrid; prickly to the taste.
PUR.	PURGATIVE—Operating on the bowels more powerfully than a cathartic.
REF.	REFRIGERANT—Depressing the morbid temperature of the body.
RUB.	RUBEFACIENT—Causing redness of the skin.
SAD.	SALAD—Fresh herbs eaten as condiments or as food.
SAP.	SAPONACEOUS—Soapy; making a lather with water.
SEC.	SECERNENT—Affecting the secretions.
SED.	SEDATIVE—Directly depressing to the vital forces.
SIA.	SIALOGOGUE—Provoking the secretion of saliva.
STE.	STERNUTATORY—A substance which provokes sneezing.
STI.	STIMULANT—Exciting the organic action of the system.
STO.	STOMACHIC—Giving tone to the stomach.
STY.	STYPTIC—Arresting hemorrhage.
SUD.	SUDORIFIC—Provoking sweat.
TON.	TONIC—Exciting slowly the different systems of the economy.
VER.	VERMIFUGE—Capable of expelling worms.
VES.	VESICANT—Producing blisters.
VUL.	VULNERARY—Favoring the consolidation of wounds.

CHENEY & MYRICK'S

DESCRIPTIVE CATALOGUE OF

Vegetable Medicinal Agents.

Per lb.

— 1 —

AARON'S BEARD. Rhus Cotinus.
Wood. . . . . Ast.
False Fringe Tree. Smoke Plant. Smoke Tree. Wig Tree. Young Fustic.
Used in chronic diarrhœa.

— 2 —

ABSCESS. Polemonium Reptans.
Root. . . . . Alt. Dia. Ast.
American Greek Valerian. Blue Bells. Jacob's Ladder. Sweat Root.
Serviceable in pleurisy, fevers and inflammatory diseases.

— 3 —

ACONITE. Aconitum Napellus.
Leaves. . . . . Nar. Sed. A-phl. Nar.
Root. . . . . " " " "
Beastsbane. Bearbane. Badgersbane. Friar's Cap. Friar's Cowl. Goatsbane. Monkshood. Mousebane. Wolfsbane. Wolf Root.
Used in scarlatina, inflammatory fever, acute rheumatism, neuralgia, etc. Must be used cautiously.

— 4 —

ADAM AND EVE. Aplectrum Hyemale.
Root. . . . . Nar. Pec.
Useful in bronchial affections.

Per lb.

— 5 —

ADAM'S APPLE. Citrus Limetta.
Lime Tree Fruit.

— 6 —

ADDER'S TONGUE. Erythronium Americanum.
Herb and Root. . . . . Alt. Emo. Eme.
Plant. . . . . A-sco. Emo. Eme.
Yellow Snake-leaf. Adder Leaf. Dogstooth Violet.
Used as a poultice for scrofulous sores, to cleanse and heal them.

— 7 —

AGARIC OF THE OAK. Boletus Ignarius.
" **PURGING.** (Larch Agaric.) Boletus Laricis.
" **WHITE.** (" ") " "
Plant. . . . . Sty. Ast. Bit.

— 8 —

AGAVE, AMERICAN. Agave Americana.
Plant . . . . . Diu. A-syp.
American Century Plant. American Aloe.

— 9 —

AGAVE, VIRGINIAN. Agave Virginica.
Root. . . . . Bit. Car.
False Aloe.

— 10 —

AGRIMONY. Agrimonia Eupatoria.
Herb. . . . . Ton. Alt. Ast.
Cockleburr. Stickwort.
Highly recommended in bowel complaints, gravel, asthma, coughs and gonorrhœa.

— 11 —

AGRIMONY, HEMP. Eupatorium cannabinum.
Juice. . . . . Eme. Pur. Diu. Cat.
Sweet-smelling Trefoil. Water Maudlin.

Per lb.

— 12 —

ALDER BLACK. Prinos Verticillatus.
Bark. . . . . Ton. Alt. Ast. Ver.
Berries. . . . . Cat Ver.
Striped Alder. Brook Alder. False Alder. Winter Berry.
Used with good effect in jaundice, diarrhœa, gangrene, dyspepsia. The berries for worms in children.

— 13 —

ALDER, RED. Alnus Rubra.
Bark. . . . . Alt. Eme. Ast.
Tags. . . . . " " "
Tag Alder. Smooth Alder. Swamp Alder.
Valuable in scrofula, syphilis and diseases of the skin.

— 14 —

ALDER, TAG. Alnus Serratula.
Bark . . . . . Alt. Eme. Ast
American Alder. Common Alder.

— 15 —

ALDER, WHITE. Clethra Alnifolia.
Leaves and Flowers. . . . . Dia. Exc.
Sweet Pepper Bush.
Used in fevers, coughs and lung affections.

— 16 —

ALKANET. Anchusa Tinctoria.
Root. . . . . Ast.
Dyers' Alkanet. Orcanette.
Used to color oils, ointments and tinctures.

— 17 —

ANGELICA. Angelica Atropurpurea.
Root. . . . . Aro. Sti. Car. Diu.
Leaves. . . . . .
Seed. . . . . .
Bellyache Root. Purple Angelica. Masterwort. Archangel. High Angelica. American Angelica. Dead Nettle.
Used in flatulent colic, heart-burn and debility.

Per lb.

— 18 —

ANGUSTURA. Galipea Officinalis.
Bark. . . . . Eme. Cat. Ton. Feb.
Angostura.
Used in bilious diarrhœa and dysentery, intermittents and dropsy.

— 19 —

ANISE. Pimpinella Anisum.
Seed. . . . . Sti. Car. Aro.
Common Anise.
Valuable to remove flatulent colic of infants, allay nausea, and as a corrigent of griping or unpleasant medicines.

— 20 —

APPLE TREE. Pyrus Malus.
Bark. . . . . Ton. Feb.
For intermittent, remittent and bilious fevers; also for gravel.

— 21 —

ARBOR VITÆ. Thuja Occidentalis.
Leaves. . . . . Sto. Dia. Ant. Feb. A-spa.
White Cedar.

— 22 —

ARECA NUT. Areca Catechu.
Fruit. (Masticatory of the Orientals.) . . Ast.
Plant. (Yields Catechu.) . . . . . "
Betel-nut Tree. Areca Palm.
Used in some diseases of dogs.

— 23 —

ARNICA. Arnica Montana.
Flowers. . . . . Sti. Diu. Dia.
Leopardsbane. Mountain Tobacco.
Used in gout, dropsy and rheumatism; the tincture for bruises, sprains, bites of insects, etc.

— 24 —

ARROW WOOD. Viburnum Dentatum.
Bark. . . . . Diu. Det.
Mealy Tree.
Used in cancerous affections.

Per lb.

— 25 —

ASH, BLACK. Fraxinus Sambucifolia.
Bark. . . . . Ton. Ast.
May be used where a tonic astringent influence is required; also as a wash in salt rheum.

— 26 —

ASH, MOUNTAIN. Sorbus Americana.
Bark. . . . . Ast. Ton. Det.
Berries. . . . . Ver. A-sco.
Round Wood.
The bark in bilious diseases to cleanse the blood; berries for scurvy, and as a vermifuge.

— 27 —

ASH, PRICKLY. Xanthoxylum Fraxineum.
Bark. . . . . Sti. Ton. Alt. Sia.
Berries. . . . . Sti. Car A-spa.
Pellitory Bark. Toothache Bush. Yellow Wood. Sutterberry. Toothache Tree.
A valuable tonic in low typhoid; used in colic, rheumatism, scrofula, etc. The berries a most valuable agent in Asiatic cholera.

— 28 —

ASH, SOUTH'N PRICKLY. Xanthoxylum Carolinianum.
Bark, (more pungent than Xanthoxylum Fraxineum.)
Sea Ash.

— 29 —

ASH, WHITE. Fraxinus Acuminata.
Bark. . . . . Ton. Cat.
Beneficial in constipation, dropsy, ague cake, etc. The seeds are said to prevent obesity.

— 30 —

ASPARAGUS. Asparagus Officinalis.
Root. . . . . Diu.
Sparrow Grass.
Valuable in dropsy and enlargement of the heart.

Per lb.

— 31 —

AVENS. Geum Rivale.
Root. . . . . Ton. Ast.
Bennet. Chocolate Root. Throat Root. Cureall. Evans Root. Water Avens. Indian Chocolate. Purple Avens. White Avens.
Valuable in hemorrhages, chronic diarrhœa and dysentery. leucorrhœa, aphthous ulcerations.

— 32 —

BACKACHE BRAKE. Aspidium Filix Fœmina.
Root. . . . . Ant. Ver.
Female Fern.
Used for tapeworm.

— 33 —

BALM, BASTARD. Melissa Fuchsii.
Plant. . . . . Diu. Dia.

— 34 —

BALM, BEE. Monarda Didyma.
Plant and Oil. . . . . Rub. Sti. Car. Aro.
Oswego Tea Mountain Mint. Mountain Balm. Red Balm.
The infusion used in flatulence, nausea, vomiting, and in suppression of urine, suppression of menstruation, etc.

— 35 —

BALM GILEAD. Populus Balsamifera or Candicans.
Buds. . . . . Sti. Ton. Diu. A-sco.
Bark. . . . . Ton. Cat.
Arabian Balsam of Gilead. Carolina Poplar. Poplar Tacamahac. Poplar Balsam.
Tincture of the buds used in affections of the chest, stomach and kidneys, rheumatism and scurvy. Applied to frost and fresh wounds. Bark useful in gout and rheumatism.

— 36 —

BALM, LEMON. Melissa Officinalis.
Herb. . . . . Sti. Dia. A-spa.
Bee Balm Blue Balm. Citronelle. Cureall. Dropsy Plant.
Useful in low fevers, and to assist menstruation.

Per lb.

— 37 —

BALMONY. Chelone Glabra.
Herb. . . . . Ton. Cat. Ant.
Snake-head. Turtle-bloom Turtle-head. Salt Rheum Weed. Fish-mouth. Shell-flower. Bitter Herb.
Especially valuable in jaundice and hepatic diseases; to remove worms and excite the digestive organs to action.

— 38 —

BALM, SWEET. Dracocephalum Canariense.
Herb. . . . . Sti. Dia. A-spa.
Balm of Gilead Herb.

— 39 —

BARBERRY. Berberis Vulgaris.
Bark. . . . . Ton. Lax.
Jaundice Berry. Pepperidge Bush.
Employed in all cases where tonics are indicated; has proved efficacious in jaundice. The berries, as wash in canker.

— 40 —

BASIL, SWEET. Ocymum Basilicum.
Herb. . . . . Aro. Sti.
Common Basil.
To allay excessive vomiting.

— 41 —

BASSWOOD. Tilia Americana.
Bark. . . . . Emo. Dis.
Bast Tree. Linden. Lime Tree.
Used as a poultice in painful swellings.

— 42 —

BAYBERRY. Myrica Cerifera.
Bark. . . . . Sti. Ast.
Berries. . . . . "
Leaves. . . . . Aro. Sti. "
Bayberry Tallow. Wax Myrtle. Wax Berry. Candle Berry. Myrtle. American Vegetable Tallow. Tallow Shrub.
Valuable in jaundice, diarrhœa, dysentery, canker in the mouth, throat and bowels, and as wash for spongy gums. Leaves in scurvy.

Per lb.

— 43 —

BAY, SWEET. Laurus Nobilis.
Leaves and Fruit. . . Aro. Fra. Ast. Sto. Car.
Laurel.

— 44 —

BEAD TREE. Melia Azedarach.
Bark. . . . . Nar. Ant. Pur.
Pride of India. Pride of China.
Useful to remove worms from the bowels, as a wash or ointment for ringworm, etc.

— 45 —

BEAR'S FOOT. Polymnia Uvedalia.
Yellow Leaf Cup. Uvadalia.

— 46 —

BEECH. Fagus Ferruginea.
Bark. . . . . Ast. Ton. A-syp.
Leaves. . . . . " " "
Useful in diabetes, cutaneous diseases, ulcers and dyspepsia.

— 47 —

BEGGARS' TICK, SWAMP. Bidens Tripartita.
Herb and Seed. . . . . Emm. Exp.

— 48 —

BELLADONNA. Atropa Belladonna.
Leaves. . . . . Nar. Ano. Dia.
Deadly Nightshade. Dwale. Black Cherry Poison.
Used in convulsions, neuralgia, rheumatism, mania, gout, and painful condition of the nervous system. Requires caution in its use.

— 49 —

BELLWORT. Uvularia Perfoliata.
Herb. . . . . Ton. Dem Ner. Ale. Her.
Leaves. . . . . Ton. Dem. Ner.
Mohawk Weed.
For sore throat, inflammation, and as poultice in erysipelas and wounds.

BELLWORT, (Large-flowered). Uvularia Grandiflora.
Plant, . . . Ton. Dem. Ner. Ale. Her.

Per lb.

—— 50 ——

BETH ROOT. Trillium Pendulum.
Root. . . . . Ast. Ton. A-sep.
Rattlesnake Root. Birth Root. Indian Balm. Ground Lily. Cough Root. Lambs' Quarter. Snake Bite. Pariswort. Truelove. Indian Shamrock. Trillium. Jews'harp Plant.
Valuable in cough, asthma, hectic fever, bloody urine, and derangement of female generative organs; and to promote parturition.

—— 51 ——

BETONY. Betonica Officinalis.
Herb. . . . . Ner. Ton. Dis.
Wood Betony.
For headache, hysterics and nervousness.

—— 52 ——

BIRCH, BLACK. Betula Lenta.
Bark, ... Ast. Sti. Dia.
Cherry Birch. Mahogany Birch. Sweet Birch. Spice Birch.
Used in diarrhœa, dysentery, cholera infantum, and to tone the bowels after exhausting discharges.

—— 53 ——

BISHOP'S LEAVES. Scrophularia Aquatica.
Leaves.
Water Betony. Water Figwort.
For flavoring medicines.

—— 54 ——

BISTORT. Polygonum Bistorta.
Root. . . . . Ast.
Dragonwort. Easter Giant. Patience Dock.
Used in diarrhœa, and where a general tonic astringent is required.

—— 55 ——

BITTER ROOT. Apocynum Androsæmifolium.
Root. . . . . Alt. Sud. Eme. Cat. Ant.
Catch Fly. Dogsbane. Flytrap. Honey Bloom. Wandering Milkweed. Western Wallflower.
Valuable in chronic liver complaints, syphilis, scrofula, intermittent and low stage of typhoid fever.

Per lb.

—— 56 ——

BITTERSWEET, FALSE. Celastrus Scandens.

Bark of Root. . . . . Alt. Dia. Diu.
Berries. . . . . " "

Climbing Bittersweet. Climbing Orange Root. Climbing Staff Tree. Fever Twig. Fever Twitch. Staff-vine. Waxwork. Yellow Root.

Used in scrofula, syphilis, leucorrhœa and obstructed menstruation.

—— 57 ——

BITTERSWEET TWIGS. Solanum Dulcamara.

Herb. . . . . Alt. Diu. Sud. Dis.

Felonwort. Garden Nightshade. Scarlet Berry. Violet Bloom. Woody Nightshade. Wolf Grape.

Employed in cutaneous diseases. scrofula, syphilitic diseases, jaundice, obstructed menstruation and rheumatic affections.

—— 58 ——

BLACKBERRY. Rubus Villosus.

Herb. . . . . Ast. Ton.
Root. . . . . " "

Cloud Berry Root.

Excellent in cholera infantum, diarrhœa, dysentery and relaxed condition of intestines of children; as injection in gleet, gonorrhœa, prolapsus uteri and ani.

—— 59 ——

BLACK ROOT. Leptandra Virginica.

Root. . . . . Ton. Cho. Lax.

Beaumont Root. Bowman's Root. Brinton Root. Culver's Physic. Culver's Root. Hini. Oxadoddy. Physic Root. Purple Leptandra. Quitel. Tall Speedwell. Whorlywort.

As a laxative and a tonic in bilious complaints, typhoid fever and liver complaints.

—— 60 ——

BLAZING STAR. Aletris Farinosa.

Root. . . . . Bit. Ton. Sto. F-com.

Crow Corn Root. False Star Grass. Star Grass. Star Root. Unicorn. Unicorn Root. Ague Grass. Ague Root. Aloe Root. Colic Root.

In chronic rheumatism, dropsy, colic, ague and female derangements.

Per lb.

—— 61 ——

BLOOD ROOT. Sanguinaria Canadensis.
Root. . . . . Eme. Sti. Alt. Ton. Exp.
Indian Paint. Red Puccoon.
Valuable in typhoid, pneumonia, catarrh, scarlatina, jaundice, dyspepsia, ringworm, and in affections of the respiratory organs.

—— 62 ——

BLOODWORT. Hieracium Venosum.
Herb. . . . . Ton. Ast. Exp.
Hawkweed. Striped Bloodwort. Rattlesnake Weed.
Used in scrofula, hemorrhages; said to be efficient against bites of poisonous snakes.

—— 63 ——

BLUE FLAG. Iris Versicolor.
Root. . . . . Diu. Cat. Alt. Sia. Ver.
Flag Lily. Flower de luce. Liver Lily. Poison Flag. Snake Lily. Water Flag.
A potent remedy in dropsy, scrofula, affections of the liver, spleen and kidneys, secondary syphilis, etc.

—— 64 ——

BONESET. Eupatorium Perfoliatum.
Herb. . . . . Sud. Eme. Ton.
Ague Weed. Crosswort. Feverwort. Indian Sage. Sweating Plant. Thoroughwort. Thoroughstem. Thorough Wax. Teard. Vegetable Antimony.
Excellent in colds, fevers, dyspepsia, jaundice and general debility of the system, fever and ague.

—— 65 ——

BORAGE. Borago Officinalis.
Herb. . . . . Sto. Dia.
Burrage. Bugloss.
Used in catarrh, rheumatism, diseases of the skin, etc.

—— 66 ——

BOX. Buxus Sempervirens.
Herb. . . . . Sud. Alt. Ant.
Box Garden Edging.
Esteemed in the treatment of syphilis, epilepsy and hysteria.

Per lb.

—— 67 ——

BOXWOOD. Cornus Florida.
Bark. . . . . Ton. Ast. Sti.
Flowers. . . . . Emm. Sud.
Dog Tree. False Box. Florida Cornel. Indian Arrow Wood. Florida Dogwood. Virginia Dogwood.
An excellent substitute for Peruvian Bark. Valuable in jaundice and liver complaint. The flowers for deranged condition of the female generative organs.

—— 68 ——

BROOKLIME. Veronica Beccabunga.
Herb. . . . . A-sco. Diu. Emm.
Beccabunga. Mouth Smart. Neckweed. Pimpernel Water.
Beneficial in obstructed menstruation, scurvy, fevers, skin diseases, coughs, etc.

—— 69 ——

BROOM. Cytisus Scoparius.
Herb. . . . . Eme. Cat. Diu.
Broom Flowers. Irish Broom.
Especially beneficial in dropsy. Said never to fail in increasing the flow of urine.

—— 70 ——

BRYONY, WHITE. Bryonia Alba.
Root. . . . . Cat. Eme. Nar.
Tetter Berry. Wild Bryony. Wild Hops.
An active hydragogue cathartic, similar to Jalap.

—— 71 ——

BUCHU. Barosma Crenata.
Leaves. . . . . Diu. Dia. Sti.
Bookoo. Bucku. Buku.
Useful in derangement of the urinary organs.

—— 72 ——

BUCKBEAN. Menyanthes Trifoliata.
Root. . . . . Ton. Diu. Ant.
Herb. . . . . " " "
Bean Trefoil. Bitter Trefoil. Bog Bean. Brook Bean. Bog Myrtle. Bitterworm. Moon Flower. Marsh Clover. Marsh Trefoil. Water Shamrock.
In scurvy, rheumatism, jaundice, dyspepsia, hepatics, worms, etc.

Per lb.

—— 73 ——

BUCKHORN BRAKE. Osmunda Regalis.
Root. . . . . Ton. Muc. Dem. Sty.
Fern Brake. Flowering Brake. Hartshorn Bush. Herb Christopher. King's Fern. Male Fern. Royal Flowering Fern. Saint Christopher Herb.
Very valuable in female weakness, cough and dysentery; said to be a certain cure for rickets, spine complaint and debility of the muscles.

—— 74 ——

BUCKTHORN. Rhamnus Catharticus.
Bark. . . . . Hyd. Cat.
Berries. . . . . Hyd. Cat. Alt.
Purging Berries. Purging Buckthorn. Waythorn.
Used in rheumatism, gout, dropsy, and eruptive diseases to clear the skin.

—— 75 ——

BUGLE, BITTER. Lycopus Europæus.
Herb. . . . . Sty. Ast. Ton. Bal.
Green Archangel.
Recommended in intermittent fever, hemorrhage of lungs, bowels and stomach.

—— 76 ——

BUGLE, SWEET. Lycopus Virginicus.
Herb. . . . . Sed. Ton. Ast.
Carpenter's Herb. Gipsywort. Purple Archangel. Paul's Betony. Water Horehound. Bugle Weed. Water Bugle. Buglewort. Wolf Foot.
Useful in phthisic, hemorrhage of the lungs, diabetes and chronic diarrhœa.

—— 77 ——

BURDOCK. Arctium Lappa.
Leaves. . . . . Emo. Dia.
Root. . . . . Her. A-sco. Alt.
Seeds. . . . . Diu. Ton.
Burr Seed. Bardana. Bardane. Clotbur. Hardock. Hareburr. Hurr-burr.
Used in scorbutic, syphilitic, scrofulous, gout and leprous diseases; the leaves as a cooling poultice.

Per lb.

—— 78 ——

BURNING BUSH. Euonymus Americana.
Bark. . . . . Ton. Lax. Alt. Diu. Exp.
Seed. . . . . Cat.
Prickwood. Spindle Tree. Strawberry Shrub. Strawberry Bush.

—— 79 ——

BUR-REED, SPINY. Xanthium Spinosum.
Leaves. . . . . Alt. Dep. Diu.
Used in hydrophobia.

—— 80 ——

BUTTERCUP. Ranunculus Acris.
Herb. . . . . Acr. Sti.
Acrid Crowfoot. Burrwort. Blister Weed. Bachelor's Buttons. Meadow Bloom.
An active counter-irritant. The extract used with mustard to blister.

—— 81 ——

BUTTERNUT. Juglans Cinerea.
Bark. . . . . Cat.
Lemon Walnut. Oil Nut. White Walnut.
Used in habitual constipation as a gentle and agreeable cathartic, acting like rhubarb; also in intermittent and remittent fevers.

—— 82 ——

CABBAGE, SKUNK. Symplocarpus Fœtidus.
Root. . . . . Sti. A-spa. Exp.
Collard. Fetid Hellebore. Meadow Cabbage. Polecat Weed. Stinking Poke. Skunk Weed. Swamp Cabbage.
Successfully used in whooping cough, asthma, hysteria, chronic rheumatism, spasms, convulsions during pregnancy and nervous irritability.

—— 83 ——

CACTUS, NIGHT-BLOOMING. Cactus Grandiflorus.
Flower and Stem. . . . Sed. Diu. Cardiac.
Night-blooming Cereus.

CACTUS. Cactus Opuntia.
Leaves. . . . . Ref.
Juice colors red.
Prickly Pear.

Per lb.

—— 84 ——

CALAMINT. Calamintha Officinalis.
Herb. . . . Aro. Sto. Cor. Diu. Feb. Emm.
Basil Thyme.

—— 85 ——

CANCER ROOT. Orobanche Virginiana.
Root. . . . . Ast.
Beech Drops. Broomrape. Cancer Drops. Clapwort. Fir-rape.
Beneficial in hemorrhage of the bowels, uterus, and in diarrhœa. Valuable in erysipelas. As a local application to arrest the tendency of ulcers and wounds to gangrene.

—— 86 ——

CANCER WEED. Salvia Lyrata.
Herb. . . . . .
Lyre-leaved Sage. Meadow Sage. Wild Sage.
The strong decoction or extract said to cure cancers and remove warts.

—— 87 ——

CANELLA. Canella Alba.
Bark. . . . . Aro. Sti. Ton.
Wild Cinnamon. White Cinnamon.
Useful in enfeebled state of the stomach and bowels, also in scurvy.

—— 88 ——

CANKER LETTUCE. Pyrola Rotundifolia.
Leaves. . . . . Ton. Ast. Diu. A-spa.
Consumption Weed. Lettuce Liverwort. Pear Leaf Wintergreen. Round-leaved Pyrola. Round-leaved Wintergreen. Shin Leaf. Wild Lettuce.

—— 89 ——

CANKER ROOT. Prenanthes Alba.
Root. . . . . Ast.
Plant. . . . . Bit. A-ven.
Canker Weed. Lion's Foot. Rattlesnake Root.
Used in diarrhœa and relaxed and debilitated condition of the bowels.

Per lb.

—— 90 ——

CARAWAY. Carum Carui.
Seed. . . . . Aro. Car. Ton.
Used in flatulent colic of children, and to improve the flavor of disagreeable medicines.

—— 91 ——

CARDAMOM. Elettaria Cardamomum.
Seed. . . . . Aro. Car. Sti.
A warm and grateful aromatic. Used in flatulence and as a corrective of other medicines.

—— 92 ——

CARDINAL, BLUE. Lobelia Syphilitica.
Herb. . . . . Diu. Eme. Cat.
Blue Lobelia. Highbelia.
Has been used in gonorrhœa, dropsy, diarrhœa and dysentery.

—— 93 ——

CARDINAL, RED. Lobelia Cardinalis.
Herb. . . . . Ant. Ner. A-spa.
Cardinal Flower. Red Lobelia.
Said to be useful in removing worms from the bowels.

—— 94 ——

CARDUS, SPOTTED. Centaurea Benedicta.
Plant. . . . . Ton. Dia. Bit. Feb. Sto.
Bitter Thistle. Blessed Thistle. Holy Thistle.
Used as a tonic in loss of appetite, dyspepsia and intermittent fevers.

—— 95 ——

CARROT, WILD. Daucus Carota.
Seed and Root. . . . . Sti. Diu.
Bee's Nest Plant. Bird's Nest Root.
Used in dropsy, gravel, strangury, and as a poultice in foul and indolent ulcers.

Per lb.

—— 96 ——

CASCARILLA. Croton Eleuteria.
Bark. . . . . Ton. Sti.
Eleuthera Bark. Seaside Balsam. Sweet Wood Bark.
Useful in dyspepsia, flatulence, chronic diarrhœa, general debility, and to arrest vomiting.

—— 97 ——

CASSIA. Laurus Cinnamomum.
Bark. . . . . Aro. Sti. Ton. Car. Ast.
Buds. . . . . " " " " "
Used as an adjutant to unpleasant medicines, and to allay nausea, check vomiting, relieve flatulence and diarrhœa, and in uterine hemorrhage.

—— 98 ——

CATMINT. Nepeta Cataria.
Herb. . . . . A-spa. Dia. Car. Emm.
Catswort. Catnip. Field Balm.
Useful in febrile, nervous and infantile diseases; also to restore the menstrual secretions.

—— 99 ——

CEDAR, RED. Juniperus Virginiana.
Leaves. . . . . Sti. Diu. Emm.
Apples or Excrescences. . . . . Ant.
Cedar Apples.
Properties analagous to Savin.

—— 100 ——

CELANDINE, GARDEN. Chelidonium Majus.
Herb. . . Cat. Acr. Alt. Ape. Sti. Diu. Dia.
Tetterwort.
Used in scrofula, cutaneous diseases piles and affections of the spleen. The juice to cure warts, ringworms and fungous growths.

—— 101 ——

CELANDINE, WILD. Impatiens Pallida.
Herb. . . . . Ape. Diu.
Balsam Weed. Jewel Weed. Snap Weed. Quick-in-the-hand. Touch-me-not. Slippers. Weathercock.
Recommended in jaundice, dropsy, liver complaint, salt rheum, and to cleanse foul ulcers.

Per lb.

—— 102 ——

CELERY. Apium Graveolens.
Seed . . . . . Diu. Sud.
Used in dropsy, incontinence of urine and liver complaints.

—— 103 ——

CENTAURY, AMERICAN. Sabbatia Angularis.
Herb. . . . . Ton.
Bitter Bloom. Bitter Clover. Eyebright. Red Centaury. Rose Pink. Wild Succory.
Useful in autumnal fevers, dyspepsia, worms, and to restore the menstrual secretion.

—— 104 ——

CENTAURY, GROUND. Polygala Nuttallii.
Plant. . . . . Ton. Alt. Diu.
Used in boils and erysipelas.

—— 105 ——

CHAMOMILE. Anthemis Nobilis.
Flowers. . . . . Ton. Aro. Sti. Eme.
Roman Chamomile.
Used in dyspepsia, weak stomach, intermittent and typhus fevers, hysteria and nervousness.

CHAMOMILE, LOW. Anthemis Nobilis.
Herb. . . . . Ton. Sto.
Garden Chamomile. Ground Apple.
Employed in fevers, colds, and to produce perspiration.

—— 106 ——

CHAMOMILE, GERMAN. Matricaria Chamomilla.
Flowers. . . Ton. Emm. Sto. Car. Nep. Ver.
Chamomilla.

—— 107 ——

CHECKERBERRY. Gaultheria Procumbens.
Leaves. . . . . Sti. Aro. Ast. Diu.
Box Berry. Canada Tea. Chink. Deer Berry. Ground Berry. Hillberry. Ivory Plum. Mountain Tea. Spice Berry. Partridge Berry. Red Berry Tea. Red Pollom. Spring Wintergreen. Spicy Wintergreen. Tea Berry. Wax Cluster.
Valuable in dropsy, diarrhœa and obstructions. The oil to flavor other medicines. The essence in colic of infants.

Per lb.

—— 108 ——

CHERRY, WILD. Prunus Virginiana.

Cherries. . . . . Ast. Ton. A-sep.
Bark. . . . . " " "

Black Cherry.

Valuable in all cases where it is desirable to give tone and strength to the system; also in fever, cough, diarrhœa, jaundice, dyspepsia, scrofula and general debility.

—— 109 ——

CHESTNUT. Castanea Americana.

Bark and Leaves. . . . . Ast. Ton.

Bark used in intermittent fever. An infusion of the leaves is highly praised as a remedy for the whooping cough. May be drank freely.

—— 110 ——

CHESTNUT, HORSE. Æsculus Hippocastanum.

Fruit and Bark. . . . . Ast. Ton.

Said to be useful in gout and rheumatism. The powder of the nuts as a snuff in diseases of the head. The bark as a substitute for cinchona in fevers.

—— 111 ——

CHICKWEED. Stellaria Media.

Herb. . . . . Ref. Emo. Dem.

Adder's Mouth. Stitchwort.

As a poultice to old and indolent ulcers; with benefit also in ophthalmia, erysipelas and cutaneous diseases.

—— 112 ——

CHICORY. Cichorium Intybus.

Root. . . . . Ton. Diu. Lax.
Herb. . . . . " " "

Succory. Wild Succory.

Used in jaundice and liver complaints.

—— 113 ——

CHINA ROOT, AMERICAN. Smilax (Pseudo) China.

Root. . . . . Dep. Alt.

Used in cutaneous complaints, etc.

Per lb.

— 114 —

CHIRETTA. Agathotes Chirayta.
Herb. . . . . Ton.
Bitter Stick. Bitter Stem. Chirayta. East India Balmony.
A bitter tonic recommended in dyspepsia and debility of convalescence from fevers.

— 115 —

CICILY, SWEET. Osmorrhiza Longistylis.
Root. . . . . Aro. Sto. Car. Exp.
Anise Root. Sweet Chervil. Sicily Root.
Useful in coughs, flatulence, and as a gentle stimulant tonic to debilitated stomachs.

— 116 —

CICUTA. Conium Maculata.
Leaves. . . . . Nar. A-spa. Dis. Ano.
Seed. . . . . " " " "
American Hemlock. American Water Hemlock. Water Hemlock. Children's Bane. Beaver Poison. Death of Man. Musquash Root. Poison Hemlock. Poison Parsley. Poison Snakeweed. Spotted Cowbane. Water Parsley. Spotted Hemlock. Wild Hemlock.
Used in chronic rheumatism, neuralgia, asthma and excited condition of the nervous system. Use cautiously.

— 117 —

CLARY. Salvia Sclarea.
Herb. . . . . A-spa. Bal.
Clammy Sage. Clear Eye. Spotted Hemlock. Wild Clary. Wild Hemlock.
Used in night sweats, hectic fever and flatulence.

— 118 —

CLEAVERS. Galium Aparine.
Herb. . . . . Ref. Diu.
Bedstraw. Catch Weed. Cheese Rennet Herb. Cleaverwort. Clabbergrass. Goose-grass. Goose's Hare. Milk Sweet. Poor Robin. Savoyan. Scratch Weed. Clivers.
Valuable in suppression of urine, inflammation of kidney and bladder. As a wash to remove freckles, etc.

Per lb.

— 119 —

CLOTBUR. Xanthium Strumarium.
Root. . . . . Alt. Diu. Dep.
Seed. . . . . Diu. Alt.
Leaves. . . . . Mat.
Burr Thistle. Burr Weed. Sea Burdock.

— 120 —

CLOVER, RED. Trifolium Pratense.
Blossoms. . . . . Acr. Pec.
Cleaver Grass.
An extract of the blossoms, an excellent remedy for cancerous ulcers, corns, etc.

— 121 —

CLOVER, WHITE. Trifolium Repens.
Flowers. . . . . Det. Dep.
Used in ointment.

— 122 —

CLOVES. Caryophyllus Aromaticus.
Undeveloped Flowers. . . . . Aro. Sti.
Useful to allay vomiting and stimulate the digestive functions, improve the flavor of and operation of griping medicines.

— 123 —

COCA LEAVES. Erythoxylon Coca.
Leaves. . . . . Ner. Sti.
Spadic.
Used as tea and coffee.

— 124 —

COCASH. Aster Puniceus.
Root. . . . . Sti. Dia.
Aster. Cold Water Root. Red Stalked Aster. Meadow Scabish. Star Flower. Swan Weed.
The warm infusion in colds, rheumatism, nervous debility, headache and menstrual irregularities.

Per lb.

— 125 —

COHOSH, BLACK. Cimicifuga Racemosa.
Root. . . . . A-per. Nar Ner. Dia. Diu.
Bugwort. Black Snakeroot. Bugbane. Rattlesnake's Root. Rattle Snakeroot. Richweed. Squaw Root Rattle Root
Useful for rheumatism, dropsy, epilepsy and spasmodic affections. Valuable in female complaints as a partus accelerator.

— 126 —

COHOSH, BLUE. Caulophyllum Thalictroides.
Root. . . . A-spa. Diu. Dia. Par. Emm. Ant.
Blue Berry. Blue Ginseng. Pappoose Root. Squaw Root. Yellow Ginseng.
A favorite remedy in chronic uterine diseases, and as a parturient has proved invaluable. Also used in rheumatism, dropsy, cramps, colic, hysterics, etc.

— 127 —

COHOSH, RED. Actæa Rubra.
Root. . . . . Pur. Emm.
Toad Root. Poison Berry. Red Baneberry. Red Berry Snakeroot.

— 128 —

COHOSH, WHITE. Actæa Alba.
Root. . . . . Pur. Emm.
Baneberry. Necklace Weed. White Baneberry. White Beads. White Berry Snakeroot.
A decoction useful for the itch. Also used in rheumatism, flatulence and nervous irritability.

— 129 —

COLCHICUM. Colchicum Autumnale.
Root. . . . Acr. Nar. Sed. Cat. Diu. Eme.
Seed. . . . " " " " " "
Meadow Saffron. Naked Ladies.
Used in gout, rheumatism, palpitation of the heart, gonorrhœa, enlarged prostate, etc. Should be used cautiously.

Per lb.

— 130 —

COLOCYNTH. Citrullus Colocynthis.
Fruit. . . . . Cat.
Bitter Cucumber. Bitter Apple. Bitter Gourd.
Is used as a cathartic in combination with other medicines. Should not be used alone.

— 131 —

COLOMBO, AMERICAN. Frasera Carolinensis.
Root. . . . . Ton.
Indian Lettuce. Meadow Pride. Pyramid Flower. Yellow Gentian. Pyramid Plant.
An excellent tonic, and may be used in all cases where a mild remedy is required.

— 132 —

COLOMBO. Cocculus Palmatus.
Root. . . . . Ton. Cho.
Calamba Root. Colomba Root. Columbo Root. Columbo.
Employed in dyspepsia, chronic diarrhœa and dysentery, cholera morbus and cholera infantum, and for convalescence from fevers, etc.

— 133 —

COLTSFOOT. Tussilago Farfara.
Leaves. . . . . Emo. Dem. Ton.
Root. . . . . " " "
Bullsfoot. British Tobacco. Butter Bur. Foles Foot. Horse Hoof.
In coughs, asthma, whooping cough and pulmonary affections, scrofula, scrofulous tumors, etc. As snuff in headache.

— 134 —

COMFREY. Symphytum Officinale.
Root. . . . . Dem. Ast.
Gum Plant. Healing Herb. Knitback.
Useful in diarrhœa, dysentery, coughs, leucorrhœa and female debility. As an application to bruises, fresh wounds, sores and burns.

Per lb.

— 135 —

CONSUMPTION BRAKE. Botrychium Fumaroides.
Root. . . . . Ast
Leaves. . . . . Ast. Vul.
Rattlesnake Fern.
Used in diarrhœa and dysentery, and to prevent mucous discharges.

— 136 —

COOLWORT. Mitella Cordifolia.
Herb. . . . . Dia. Ton.
Mitrewort. Gem Fruit.
Valuable in strangury, diabetes and all kidney complaints.

— 137 —

CORIANDER. Coriandrum Sativum.
Seed . . . . . Sto. Sti. Car.
Coliander Seeds.
Used to flavor and correct the action of other medicines.

— 138 —

COSTMARY. Pyrethrum Tanacetum.
Leaves. . . . . Sto. Cor. Cep. F-com.
Seeds. . . . . Ver.
Ale Cost.

— 139 —

COTTON PLANT (ROOT). Gossypium Herbaceum.
Bark of Root. . . . . Emm. Par. Abo.
Said to promote uterine contractions as efficiently as Ergot, and with perfect safety. The seed is used in fever and ague.

— 140 —

COWHAGE. Mucuna Pruriens.
Donkeys' Eyes. Florida Bean. Sea Beans. The Cowhage Plant Seed.
Hairs of pods a mechanical anthelmintic.

Per lb.

— 141 —

CRAMP BARK. Viburnum Opulus.
Bark. . . . . A-spa.
High Cranberry. Squaw Bush.
Very effective in relaxing cramps and spasms in asthma, hysteria, pains incident to females during pregnancy, convulsions, etc.

— 142 —

CRANESBILL. Geranium Maculatum.
Root. . . . . Ast. Sty. Ton.
Astringent Root. Alum Root. American Kino Root. Stork's Bill. American Tormentil. Spotted Geranium. Crowfoot.
A powerful astringent used in dysentery, diarrhœa, cholera infantum, hemorrhage, canker, etc.

— 143 —

CRAWLEY. Corallorhiza Odontorhiza.
Root. . . . . Sed. Feb. Dia.
Coral Root. Dragon's Claw. Fever Root. Turkey Claw.
Invaluable in low typhoid and intermittent fever, pleurisy and night sweats.

— 144 —

CUBEBS. Piper Cubeba.
Berries. . . . . Exp. Sto. Car.
Tailed Pepper. Java Pepper.
Useful in bronchitis, cough and diseases of the urinary organs.

— 145 —

CUCKOLD. Bidens Frondosa.
Herb and Seeds. . . . . Emm. Exp.
Beggars' Tick. Bur Marigold. Harvest Lice. Spanish Needles. Stick Seed.
Used in palpitation of the heart, cough and uterine derangement.

— 146 —

CUMMIN SEED. Cuminum Cyminum.
Fruit. . . . . Sti. Car.
Black and Sweet Cummin Seed.
A stimulant and carminative used in wind colic.

Per lb.

— 147 —

CUNDURANGO. Asclepias Mataperro.
Root. . . . . Diu. Alt.
Condor Vine. Eagle Vine.

— 148 —

CUSSO. Brayera Anthelmintica.
Flowers and Unripe Fruit. . . . Ant. Ver.
Koosso. Cossoo. Kousso.

— 149 —

DAISY, WHITE. Leucanthemum Vulgare.
Flowers. . . . . Ton. Diu. A-spa. Eme.
Maudlinwort. Ox-eye Daisy. White Weed.
Used in whooping cough, asthma, nervousness, leucorrhœa, and as a local application to wounds and cutaneous diseases.

— 150 —

DAMIANA FLOWERS. Turnera Aphrodisiaca.
Herb and Flowers. . . . Aph. Ast. Ton. Exp.

— 151 —

DANDELION. Taraxacum Dens-Leonis.
Herb. . . . . Sto. Alt. Ton. Diu.
Root. . . . . " " " "
Lion's Tooth. Priest's Crown. Puff-ball. Swine Snout.
Recommended in diseases of the liver, and in constipation, dropsy, diseases of the skin and uterine obstructions.

— 152 —

DEER TONGUE. Liatris Odoratissima.
Leaves. . . . . Aro. Per. Ton. Sti Dia.
Vanilla Leaf.

— 153 —

DILL. Anethum Graveolens.
Seed. . . . . Car. Aro. Sto.
Used in flatulency, colic, etc.

Per lb.

—— 154 ——

DITTANY. Cunila Mariana.
Herb. . . . . Dia. Sti. Car. A-spa.
American Dittany. Mountain Dittany. Stone Mint. Sweet Horse Mint. Wild Basil.
Used in warm infusion for colds, headache, fevers, colic and nervous affections.

—— 155 ——

DOCK, GREAT WATER. Rumex Aquaticus.
" **WATER.** Rumex Britannica.
Roots. . . . . Ton. Ast. A-sco.

—— 156 ——

DOCK, YELLOW. Rumex Crispus.
Root. . . . . Det. Alt. Deo Her.
Curled Dock. Narrow Dock.
Useful in scrofula, syphilis, leprosy, diseases of an eruptive nature; as an ointment for the itch and indolent glandular tumors; and in all cases where the blood needs purifying.

—— 157 ——

DOG ROSE. Rosa Canina.
Seed. . . . . Aro. Ast.
Bedeguar. Hip Tree. Wild Brier.
Used in making conserve of roses.

—— 158 ——

DULSE. Rhodymenia Palmata.
A Sea-weed. . . . . Ant. Esc
Dillisk.
Said to be useful in removing worms from the bowels.

—— 159 ——

ELDER. Sambucus Canadensis.
Bark. . . . . Cat. Deo. Diu. Sud. Her.
Berries. . . . . Ape. Alt.
Flowers. . . . . Alt. Sud. Her.
Common Elder Sweet Elder.
The bark used in dropsy, erysipelas, and as an alterative in various chronic complaints. The berries in rheumatism and gouty affections. The flowers in erysipelas, fevers and constipation.

Per lb.

—— 160 ——

ELDER, DWARF. Aralia Hispida.
Root. . . . . Diu. Alt.
Bristlestem Sarsaparilla. Hyeble. Wild Elder.
Very valuable in dropsy, gravel, suppression of urine and other urinary disorders.

—— 161 ——

ELDER, PRICKLY. Aralia Spinosa.
Bark. . . . . Sti. Sia. Sud. Eme. Aro.
Angelica Tree. Pigeon Tree. Spikenard Tree. Southern Prickly Ash. Shot Bush. Southern Prickly Elder.
Valuable in cholera, rheumatism, colic, syphilis, toothache, dropsy, etc. The oil of the seed has been used in earache and deafness.

—— 162 ——

ELECAMPANE. Inula Helenium.
Root. . . . . Dia. Diu. Exp. Ast. Sto.
Horse-heal. Scabwort.
Much used in cough, colds, lung diseases, weakness of the digestive organs and dyspepsia; also in tetter, itch and cutaneous diseases.

—— 163 ——

ELK WOOD. Andromeda Arborea.
Bark. . . . . Ast.
Leaves. . . . . A-feb. Ref. Ast.
Sorrel Tree.
Used in decoction in fevers to allay thirst and in convalescence.

—— 164 ——

ELM BARK, SLIPPERY. Ulmus Fulva.
Bark. . . . . Emo. Diu. Dem. Exp.
Ground. . . . . " " " "
Flour. . . . . " " " "
Indian Elm. Red Elm. Sweet Elm.
Highly beneficial in dysentery, diarrhœa, inflammation of the lungs, bowels, stomach, bladder or kidneys, also as poultices.

Per lb.

—— 165 ——

ERGOT. Spermœdia Clavus and Secale Cornutum.
Fruit. . . . . Emm. Par.
Cockspur Rye. Smut of Rye. Spurred Rye.
Extensively used in parturition on account of its power of promoting uterine contractions. Should be used only by advice of a physician.

—— 166 ——

ERYNGO, WATER. Eryngium Aquaticum.
Root. . . . . Sti. Diu. Dia.
Button Snakeroot. Corn Snakeroot. Rattlesnake Weed.
Used in dropsy, malignant fevers common to river districts, gonorrhœa, leucorrhœa, syphilis and scrofula.

—— 167 ——

EUPHORBIA. Euphorbia Ipecacuanha.
Root. . . . . Cat. Eme. Ton. Dia. Exp.
American Ipecac. Spurge. Wild Ipecac. White Ipecac.
Valuable in bilious colic, dropsical affections, dyspepsia, jaundice, torpidity of the liver, etc.

—— 168 ——

FENNEL. Fœniculum Vulgare.
Seed. . . . . Aro. Car. Sti. Sto.
A good aromatic to expel wind from the bowels, and to flavor other medicines.

—— 169 ——

FENUGREEK. Trigonella Fœnum Græcum.
Seed. . . . . Muc.
Used in poultices and emetics where a thick mucilage is required.

—— 170 ——

FERN, MALE. Aspidium Filix Mas.
Root. . . . . Ant. Ver.
Bear's-paw Root. Knotty Brake. Male Shield Fern. Sweet Brake. Shield Root.
Valuable to expel tape worm.

Per lb.

—— 171 ——

FERN, MEADOW. Myrica Gale.

Leaves. . . . . Pec. Ast. Aro.
Burrs. . . . . " " "

Bay Bush Buds. Dutch Myrtle. Fern Gale. Sweet Gale. Sweet Willow.

Used in scald head, itch and in eruptive diseases, also in erysipelas.

—— 172 ——

FERN, SWEET. Comptonia Asplenifolia.

Leaves. . . . Ast. Dia. Ton. Exp. Sed. Feb.

Fern Bush. Spleenwort Fern. Spleenwort Bush. Sweet Bush. Spleen Fern. Sweet Ferry.

Useful in cholera infantum, dysentery, leucorrhœa, debility succeeding fevers, bruises, rheumatism, etc.

—— 173 ——

FEVER BUSH. Laurus Benzoin.

Twigs. . . . . Aro. Ver. Feb. A-per.
Fruit. . . . . Spicy.

Benjamin Bush. Spice Bush. Snapwood. Fever Wood. Spice Fever Bush. Spice Wood. Snapweed. Wild Allspice.

Recommended in fever and ague, colds, coughs, and as an anthelmintic.

—— 174 ——

FEVERFEW. Pyrethrum Parthenium.

Herb. . . . . Ton. Car. Emm. Ver. Sti.

Featherfew. Febrifuge Plant.

The warm infusion in recent colds, flatulency, worms, irregular menstruation, hysterics, suppression of urine, etc.

—— 175 ——

FEVER ROOT. Triosteum Perfoliatum.

Root. . . . . Cat. Eme. Diu.

Horse Gentian. Tinker's Weed. Wild Ipecac. Wild Coffee.

Used in fever and ague, pleurisy, dyspepsia, rheumatism.

Per lb.

—— 176 ——

FEVER TREE. Eucalyptus Globulus.
Leaves. . . . . A-per. Feb.
Tree. . . . . Anti-malarial.
Blue Gum Tree. Fever Tree of Australia. Woolybut.

—— 177 ——

FIGWORT. Scrophularia Nodosa.
Root. . . . . Sti. Diu. Ano. Alt.
Knotty-rooted Figwort
Recommended in affections of the kidneys, liver, and enlargement of the spleen, etc.

—— 178 ——

FIR. Abies Balsamea.
Balsam and Bark . . . . . Sti. Ver.
Balsam of Fir. Balsam of Canada.
Used in urinary complaints, gleet, inflammation of the bladder, catarrh, etc.

—— 179 ——

FIRE WEED. Erechthites Hieracifolius.
Herb. . . . . Ast. Eme. Cat. Ton. Alt.
Excellent in diseases of the mucous tissues of the lungs, stomach and bowels, summer complaint of children, piles, hemorrhage, dysentery, etc.

—— 180 ——

FIT ROOT. Monotropa Uniflora.
Root. . . . . A-spa. Ton. Sed. Ner.
Bird's Nest. Convulsion Weed. Corpse Plant. Fit Plant. Ice Plant Indian Pipe. Nest Root. Ova-ova.
Valuable in convulsions of children, epilepsy, lock-jaw and spasmodic affections.

—— 181 ——

FIVEFINGER. Potentilla Canadensis.
Leaves and Root. . . . . Ton. Ast
Cinquefoil. Finger Leaf.
Useful in fevers, bowel complaints, night sweats, spongy gums, sore mouth and hemorrhages.

Per lb.

—— 182 ——

FLAXSEED. Linum Usitatissimum.
Seed. . . . . Dem. Emo.
Linseed in infusion is employed in coughs, colds, pulmonary and urinary inflammations. As poultice for burns, boils, carbuncles and old sores.

—— 183 ——

FLEABANE. Erigeron Canadense.
Herb. . . . . Ton Diu. Sty.
Butter Weed. Blood Staunch. Colt's-tail. Canada Fleabane. Horse Weed. Pride Weed. Scabious.
Efficient in diarrhœa, gravel, diabetes, scalding of urine, and in hemorrhage of bowels, uterus, and bleeding of wounds.

—— 184 ——

FLORIDA BARK. Pinckneya Pubens.
Bark. . . . . Ton. Feb. A-per.
Bitter Bark. Fever Tree. Georgia Bark.
Successfully used in intermittent fever, like Peruvian Bark in its action.

—— 185 ——

FOXGLOVE. Digitalis Purpurea.
Herb. . . . . Nar. Diu. Sed.
Dead Men's Bells. Dog's Finger. Fairy Fingers. Fairy Gloves. Finger Flower. Folks' Glove. Ladies' Glove. Purple Foxglove.
An active remedy in neuralgia, insanity, febrile diseases, acute inflammatory complaints, dropsy, palpitation of the heart, asthma, etc. Should be used only by the advice of a physician.

—— 186 ——

FRINGE TREE. Chionanthus Virginica.
Bark. . . . . Ape. Alt. Diu. Ton. Feb.
Poison Ash.

Per lb.

—— 187 ——

FROSTWORT. Helianthemum Canadense.
Herb. . . . . Ton. Ast. A-sco.
Frost Plant. Frost Weed. Rock Rose.
A valuable remedy in scrofula, syphilis, cancerous affections, and as a gargle in scarlatina and canker; as a wash in ophthalmia, itch and cutaneous diseases.

—— 188 ——

FUMITORY. Fumaria Officinalis.
Herb. . . . . Ton. Dia. Ape.
Earth Smoke.
Useful in jaundice, obstruction of the bowels, scurvy and in general debility of the digestive organs.

—— 189 ——

GALANGAL. Alpina Galanga.
Root. . . . . Aro. Sti.
Amazon Root. Catarrh Root. Galangale. Galangall. East India Catarrh Root. Kassamah Root.
An aromatic stimulant. Has been used as a snuff in catarrh, nervous headache, etc.

—— 190 ——

GARGET. Phytolacca Decandra.
Berries. . . . . Eme. Nar. Cat. Alt.
Root. . . . . " " " "
Coakum. Jalap Cancer. Pigeon Berry. Poke. Poke Weed. Red Weed. Red Ink Plant. Skoke. Virginia Poke.
Valuable in chronic rheumatism, syphilis, scrofula, and as an ointment in itch, scald head, etc.

—— 191 ——

GARLIC. Allium Sativum.
Bulbs. . . . . Sti. Diu. Exp. Rub.
Clove Garlic.
Recommended in cough, asthma, catarrh, hoarseness, promotes activity of the excretory organs. Externally as a counter-irritant in pulmonary affections.

Per lb.

— 192 —

GENTIAN. Gentiana Lutea.
Root. . . . . Ton. Sto.
Bitterwort. Felwort.
A powerful tonic; improves the appetite, aids digestion, and gives force to the circulation. Used in dyspepsia, jaundice, gout, scrofula and fever and ague.

— 193 —

GENTIAN, AMERICAN. Gentiana Catesbæi.
Root. . . . Ton. Bit. Sto. Eme. Ant. A-bil.
Blue Gentian. Blue Bells.

— 194 —

GINGER, AFRICAN. Zingiber Officinalis.
" **JAMAICA.** Amomum Zingiber.
Root. . . . . Sto. Ton. Sti. Rub. Err. Sia.
Valuable in diarrhœa, dysentery, cholera, cholera morbus, habitual flatulency, dyspepsia, and to relieve pains in the bowels, stomach, etc. Also to prevent the griping of cathartic medicines.

— 195 —

GINSENG. Panax Quinquefolium.
Root. . . . . Ton. Sti.
Dwarf Ground Nut. Fivefingers Root. Garantogen. Ninsin. Red Berry.
Useful in loss of appetite, nervous debility, weak stomach, asthma, gravel, etc.

— 196 —

GOLDEN ROD. Solidago Odora.
Herb. . . . . Sti. Car. Dia.
Sweet-scented Golden Rod.
Useful in flatulent colic, sickness at the stomach, convalescence from severe diarrhœa, dysentery and cholera morbus. Also in dropsy, gravel and urinary difficulties.

— 197 —

GOLDENSEAL. Hydrastic Canadensis.
Root. . . . . Ton. Sto. A-bil.
Eye Root. Eye Balm. Ground Raspberry. Indian Plant. Jaundice Root. Orange Root. Ohio Curcuma. Yellow Puccoon. Yellow Paint Root. Yellow Root. Yellow Eye.
Invaluable in dyspepsia, erysipelas, remittent, intermittent and typhoid fevers, torpor of the liver, ulceration of the mouth, ophthalmia, spermatorrhœa, etc.

Per lb.

—— 198 ——

GOLDTHREAD. Coptis Trifolia.
Root. . . . . Ton. Ast. Sto.
Canker Root. Mouth Root. Yellow Root.
Valuable as a gargle in ulceration of the mouth; used in dyspepsia, inflammation of the stomach, and with Goldenseal to destroy the appetite for intoxicating liquors.

—— 199 ——

GRAINS PARADISE. Amomum Granum Paradisi.
Seed. . . . . Aro. Sti.
Guinea Grains. Maleguetta Pepper. Paradise Seed.
Similar in effect to Pepper; used in veterinary practice.

—— 200 ——

GRAVEL PLANT. Epigæa Repens.
Herb. . . . . Diu. Ast.
Gravel Weed. Ground Laurel. Mountain Pink. Mayflower. Trailing Arbutus. Winter Pink.
A superior remedy in lithic acid gravel, and all diseases of the urinary organs. Superior to Buchu.

—— 201 ——

GRINDELIA. Grindelia Robusta.
Herb. . . . . Dem. Vul.
Valuable in Rhus Toxicodendron poisoning, asthma and kindred diseases.

—— 202 ——

GUAIAC WOOD. Guaiacum Officinalis.
Lignum Vitæ. . . . . Sti. Dia. Diu. Alt.
Pock Wood.
Useful in rheumatism, scrofula, syphilis, amenorrhœa, dysmenorrhœa and uterine complaints.

—— 203 ——

GUARANA. Paullinia Sorbilis.
Seed. . . . . Ast. Sti. Exc.
Valuable for sick headache, phthisic, paralysis, etc.

Per lb.

—— 204 ——

HAIR-CAP MOSS. Polytrichum Juniperum.
Herb. . . . . Diu.
Bear's Bed. Ground Moss. May Queen Moss. Robins' Rye.
A powerful diuretic; used in dropsy, gravel, and all urinary obstructions.

—— 205 ——

HARDHACK. Spiræa Tomentosa.
Herb. . . . . Ast. Ton.
Horse Weed. Meadow Sweet. Rosey Bush. Silver Weed. Silver Leaf. Steeple Bush. White Leaf. White Cap.
Valuable in cholera infantum, dysentery, diarrhœa, and debility of the bowels, and to improve the digestion.

—— 206 ——

HAW, BLACK. Viburnum Prunifolium.
Bark. . . . . Ast. Diu. Ton.
Sloe.
Valuable for canker, diarrhœa, dysentery, palpitation of the heart, and as a wash for sore eyes; also to arrest threatened abortion.

—— 207 ——

HEALALL. Prunella Vulgaris.
Herb. . . . . Ast.
Valuable in hemorrhages and for gargle in canker and sore throat.

—— 208 ——

HEARTSEASE. Polygonum Persicaria.
Plant. . . . . Vul. A-sep.
Door Weed. Ladies' Thumb. Peachwort. Red Shanks. Spotted Knot Weed.
Said to be useful in asthma, colds and fevers.

—— 209 ——

HELLEBORE, BLACK. Helleborus Niger.
Root. . . . . Dras. Cat. Diu. Emm. Ant.
Christmas Rose.
In large doses a powerful poison. Used in palsy, insanity, apoplexy, dropsy, epilepsy, chlorosis, amenorrhœa.

Per lb.

—— 210 ——

HELLEBORE, STINKING. Helleborus Fœtidus.
Leaves. . . . . Eme. Pur. Ver. Poi.
Bear's Foot. Bastard Bear's Foot. Fetid Hellebore. Stinking Black Hellebore.

—— 211 ——

HELLEBORE, WHITE. Veratrum Album.
Root. . . . . Poi. Eme. Cat. Err. Ins.
White European Hellebore.
Useful in the itch.

—— 212 ——

HELLEBORE, WHITE AMERICAN. Veratrum Viride.
Root. . . . . Nar. Sed. Dia. Eme. Ner.
American Hellebore. Bugbane. Duckretter. Earth Gall. False Hellebore. Green Hellebore. Itch Weed. Indian Poke. Swamp Hellebore. Tickle Weed.
Valuable as an arterial sedative in pneumonia, typhoid fever, itch, etc. Used only by advice of a physician. The powder or decoction, useful to destroy insects on plants.

—— 213 ——

HEMLOCK. Abies Canadensis.
Bark. . . . . Ast. Ton.
Leaves. . . . . Sud. Emm.
Hemlock Spruce. Weeping Spruce.
The bark used in leucorrhœa, prolapsus-uteri, diarrhœa, gangrene, etc. The oil in liniments. The gum used in plasters.

—— 214 ——

HENBANE. Hyosciamus Niger.
Herb. . . . . Nar. Ner. A-spa.
Fetid Nightshade. Hog Bean. Poison Tobacco. Stinking Nightshade.
Used in gout, neuralgia, asthma, chronic rheumatism, to produce sleep and remove irregular nervous action.

Per lb.

—— 215 ——

HOLLY, AMERICAN. Ilex Opaca.

Bark. . . . . Ton. Exp. Lax.
Leaves. . . . . " " "

Used in pleurisy, coughs, catarrh, gout, colic, jaundice and small-pox.

—— 216 ——

HOLLY, SEA. Eryngium Ovalifolium.

Root. . . . . Aro. Diu. Exp.

—— 217 ——

HOLLYHOCK. Althæa Rosea.

Flowers red and white. . . Emo. Dem. Diu.

Used in coughs and female weakness, inflammation of the bladder, retention of urine, affection of the kidneys, etc.

—— 218 ——

HONEYSUCKLE, BUSH. Diervilla Canadensis.

Leaves and Root. . . . . Diu. Alt.

Employed for gravel, gleet, syphilis, inflammation of the bladder, scrofula, etc.

—— 219 ——

HOPS. Humulus Lupulus.

Flowers. . . Bit Ner. Ano. Ton. Hyp. Feb. Diu.

Lupuline.

Valuable as a sedative to produce sleep and in nervousness, delirium tremens; externally as fomentation in cramps, pains, swellings, indolent ulcers, salt rheum, tumors, etc.

—— 220 ——

HOREHOUND. Marrubium Vulgare.

Herb. . . . . Sti. Ton. Exp. Diu.

White Horehound.

Useful in coughs, colds, chronic catarrh, asthma and pulmonary affections; the cold infusion in dyspepsia, and as a vermifuge.

—— 221 ——

HORSE RADISH. Cochlearia Armoracia.

Leaves. . . . Sti. Diu. A-sco. Rub. Emm.
Root. . . . . " " " " "

Used with advantage in paralysis, rheumatism, dropsy and scurvy. Grated with sugar for hoarseness.

Per lb.

—— 222 ——

HORSE WEED. Ambrosia Trifida.
Herb. . . . . Sti. Ast. A-sep. Opt.
Tall Ambrosia.

—— 223 ——

HOUND'S TONGUE. Cynoglossum Officinale.
Plant. . . . . Ast. Ano.
Canadian Bur. Tory Weed.
Indicated in hemorrhages, dysentery, coughs, etc.

—— 224 ——

HOUSE LEEK. Sempervivum Tectorum.
Leaves. . . . . Dis. Ref.
Bullock's Eye. Thunder Plant.
The leaves steeped form a cooling application to burns, stings of insects, erysipelas and sores, ringworm, warts, etc.

—— 225 ——

HOUSE LEEK, SMALL. Sedum Acre.
Plant. . . . . Acr. Eme. Cat. Ves. Diu.
Biting Stone Crop.

—— 226 ——

HYDRANGEA. Hydrangea Arborescens.
Root. . . . . Diu.
Seven Barks. Wild Hydrangea.
Valuable to remove gravel and brick-dust deposits from the bladder, and to relieve excruciating pains caused thereby.

—— 227 ——

HYSSOP. Hyssopus Officinalis.
Herb. . . . . Sti. Aro. Car. Ton.
Valuable in quinsy, asthma and chest diseases; the leaves applied to bruises remove pain and discoloration.

—— 228 ——

ICELAND MOSS. Cetraria Islandica.
Moss. . . . . Dem. Ton. Nut.
Used in chronic catarrh, dysentery, diarrhœa, and as a tonic in dyspepsia, convalescence and exhausting diseases.

Per lb.

—— 229 ——

INDIAN CUP. Silphium Perfoliatum.
Plant. . . . . Dia. Sti. Alt.
Ragged Cup. Rosin Weed.
Used in cough and painful affections of the chest.

—— 230 ——

INDIAN HEMP, AMERICAN. Cannabis Sativa var. Indica.
Extract. . . . Ner. Ano. Sud. A-spa. A-syp.
Seeds yield oil.
Neckweed.

—— 231 ——

INDIAN HEMP, BLACK. Apocynum Cannabinum.
Root. . . . . Nau. Cat. Dia.
Used in dropsy, remittent and intermittent fevers, pneumonia, obstructions of the kidneys, liver and spleen.

—— 232 ——

INDIAN HEMP, WHITE. Asclepias Incarnata.
Root. . . . . Diu. Eme. Ant. Ver. Cat.
Flesh-colored Asclepias. Rose-colored Silkweed. Swamp Milkweed. Water Nerve Root.
Recommended in rheumatic, asthmatic, catarrhal and syphilitic affections, and as a vermifuge.

—— 233 ——

INDIAN PHYSIC. Gillenia Trifoliata.
Root. . . . . Eme. Cat. Sud. Ton.
Indian Hippo. Meadow Sweet.
Valuable in amenorrhœa, rheumatism, dropsy, costiveness, dyspepsia, worms and intermittents.

——234 ——

INDIAN TURNIP. Arum Triphyllum.
Root. . . . . Acr. Exp. Dia.
Bog Onion. Cuckoo Pint. Dragon Root. Dragon Turnip. Jack in-the-pulpit. Lords and Ladies. Meadow Turnip. Marsh Turnip. Pepper Turnip. Priest's Pintle. Swamp Turnip. Starchwort. Three-leaved Arum. Wake Robin. Wild Turnip.
Recommended in croup, cough, asthma, bronchitis, pain in the chest, colic, low typhoid, and externally in scrofulous tumors, scald head, etc.

Per lb.

—— 235 ——

INDIGO, WILD. Baptisia Tinctoria.
Herb and Root. . . . Pur. Eme. Sti. A-sep.
Clover Broom. Horsefly Weed. Horse Fleaweed. Indigo Weed. Indigo Broom. Rattle-bush. False Wild Indigo. Yellow Indigo. Yellow Broom.
Valuable as a wash in all species of ulcer, as malignant sore mouth and throat, mercurial sore mouth, scrofulous or syphilitic ophthalmia, fetid leucorrhœa and discharges.

—— 236 ——

IRISH MOSS. Chondrus Crispus.
Carragheen. . . . . Nut. Dem.
Pearl Moss. Salt Rock Moss.
Used in cough, colds and pulmonary affections, chronic diarrhœa, dysentery, scrofula and rickets; boiled in milk is a nutritious tonic.

—— 237 ——

IRON WOOD. Ostrya Virginica.
Bark. . . . . A-per. Ton. Alt.
Employed in intermittent fever, neuralgia, dyspepsia, scrofula and indigestion.

—— 238 ——

IVY, AMERICAN. Ampelopsis Quinquefolia.
Bark. . . . . Alt. Ton. Ast. Exp.
Five Leaves. False Grapes. Virginia Creeper. Woodbine. Wild Woodvine. Woody Climber.
Used in syrups for scrofula, syphilis, dropsy, bronchitis and pulmonary complaints.

—— 239 ——

IVY, GROUND. Nepeta Glechoma.
Herb. . . . . Sti. Ton. Pec.
Ale Hoof. Cat's-paw. Catfoot. Carrion Flower. Gillrun. Gill-over-the-ground. Haymaids. Hedgemaids. Hove. Robin-run-away. Robin-run-in-the-hedge. Tun Hoof.
Used in diseases of the lungs and kidneys, asthma, jaundice and lead colic.

Per lb.

— 240 —

JABORANDI. Pilocarpus Pennatifolius.
Leaves. . . . . Sia.
A valuable sudorific, sialagogue and moderator of febrile action.

— 241 —

JACOB'S LADDER. Smilax Peduncularis.
Herb. . . . . Diu. Emm.
Valuable in kidney diseases, stone in the bladder, falling of the womb.

— 242 —

JALAP. Ipomœa Jalapa.
Root. . . . . Cat.
Much used as a purgative in dropsy and some forms of scrofula where a powerful cathartic is required.

— 243 —

JESSAMINE, YELLOW. Gelsemium Sempervirens.
Root. . . . . Feb.
Carolina Jessamine. Wild Jessamine. Woodbine.
A valuable febrifuge in all fevers, except congestive; also used in nervous irritability, headache, lock-jaw, and to promote contraction of the uterus.

— 244 —

JOB'S TEARS. Coix Lachryma.
Seed. . . . . Diu. Ton.
Said to dissolve calculi; used also in dropsy and incontinence of urine.

— 245 —

JOHNSWORT. Hypericum Perforatum.
Herb. . . . . Ast. Sed. Diu.
St. Johnswort.
Used in suppression of urine, chronic urinary affections, diarrhœa, dysentery, worms, jaundice and menorrhagia. In ointment for wounds, ulcers, caked breast, tumors, etc.

Per lb.

—— 246 ——

JUNIPER BERRIES. Juniperus Communis.
Berries. . . . . Sti. Car. Diu.
Juniper Bush.
Efficacious in gonorrhœa, gleet, leucorrhœa, affections of the skin, scorbutic diseases, dropsy, and kidney complaints generally.

—— 247 ——

KNOT GRASS. Triticum Repens.
Root. . . . . Diu. Ape.
Bird Weed. Couch Grass. Chiendent. Dog Grass. Dog Weed. Quick or Quitch Grass. Quickens. Quack Grass. Quitch. Witch Grass.
Valuable in kidney diseases, irritation of the bladder and spasmodic affections.

—— 248 ——

KING'S CLOVER. Melilotus Officinalis.
Herb. . . . . Emo. Diu.
Melilot. Sweet Clover. Sweet Lucerne.
The leaves and flowers boiled in lard are useful in all kinds of ulcers, inflammations, burns, etc.

—— 249 ——

LABRADOR TEA. Ledum Latifolium.
Herb. . . . . Pec. Ton.
Useful in coughs, dyspepsia, dysentery, and skin diseases.

—— 250 ——

LARKSPUR. Delphinium Consolida.
Herb. . . . . Eme. Cat. Diu. Nar.
Seed. . . . . " " " "
Knight's Spur. Lark Heel. Lark's Claw.
Used externally as ointment in cutaneous diseases and to destroy insects on the body, lice, etc.

—— 251 ——

LAUREL, MOUNTAIN. (Broad-leaved.) Kalmia Latifolia.
Leaves. . . Nar. Poi. Alt. Err. A-syp. Sed. Ast.
American Laurel. Big-leaved Ivy. Broad-leaved Kalmia. Calico Bush. Spoonhunt.
Used in scrofula and cutaneous affections.

Per lb.

—— 252 ——

LAUREL, SHEEP. (Narrow-leaved.) Kalmia Angustifolia.
Leaves. . . Nar. Poi. Alt. A-syp. Sed. Ast. Err.
Lambkill. Ivy. Laurel Poison. Sheep Poison.
Used in syphilitic diseases, scald head, cutaneous affections, hemorrhages, diarrhœa and flux.

—— 253 ——

LAVENDER. Lavandula Vera.
Flowers. . . . . Car. Ton. Sti.
Garden Lavender.
Valuable in flatulency, fainting and to arrest vomiting. Usually combined with other medicines.

—— 254 ——

LEATHERWOOD. Dirca Palustris.
Bark. . . . . Eme. Acr. Rub. Sud. Exp.
American Mezereon. Leather Bush. Moosewood. Rope Bark. Leaver Wood.
A poultice of the bark will produce vesication. Used in combination with alteratives.

—— 255 ——

LETTUCE, ACRID. Lactuca Virosa
Juice is used in the manufacture of German Lactucarium.

—— 256 ——

LETTUCE, GARDEN. Lactuca Sativa.
Herb. . . . . Diu. Nar. Hyp.
Leaves . . . . . Sad.
Juice. . . . . Ano. Hyp.
Sleepwort. Salad.
Used as a narcotic where Opium is objectionable.

—— 257 ——

LETTUCE, WILD. Lactuca Elongata.
Herb. . . . . Nar. Sed. Ano. Hyp. Dia.
Snakeweed. Snake Bite.
Similar to Garden Lettuce in effect.

Per lb.

—— 258 ——

LIFE EVERLASTING. Gnaphalium Polycephalum.
Herb. . . . . Ast. Dia.
Balsam Weed. Chafe Weed. Cud Weed. Field Balsam. Golden Motherwort. Indian Posey. Poverty Weed Sweet-scented Life Everlasting. Sweet Balsam. White Balsam.
Used for bowel complaints, coughs, colds, bleeding of the lungs, and to produce perspiration.

—— 259 ——

LIFE ROOT. Senecio Aureus and Senecio Gracilis.
Herb and Root. . . . Diu Dia. Ton. Aro.
Cough Weed. Cocash Weed. Female Regulator. False Valerian. Golden Senecio. Ragwort. Squaw Weed. Uncum. Waw Weed.
Valuable in profuse menstruation, gravel, strangury, and for the peculiar influence it has upon the female reproductive organs.

—— 260 ——

LILY, WHITE. Nymphæa Odorata.
Root . . . . . Ast. Vul. Dis.
Flowers. . . . . Orn. Per.
Cow Cabbage. Pond Lily. Sweet-scented Water Lily. Toad Lily. White Pond Lily. Water Cabbage.
Useful in dysentery, diarrhœa, leucorrhœa and scrofula. Combined with Cherry Bark for bronchial affections. Externally as poultice for boils, tumors, scrofulous ulcers, etc.

—— 261 ——

LILY ROOT, YELLOW. Nuphar Advena.
Root. . . . . Ast. Dem. Dis. Emo F-com.
Brandybottles. Beaver Root. Cow Lily. Yellow Pond Lily. Frog Lily. Spatter Dock.
Properties very similar to White Lily.

—— 262 ——

LINDEN FLOWERS. Tilia Europœa and Americana.
Bark and Flowers. . . . . Ast. Dem.
Basswood. Lime Tree. Locust Bloom. Tilia Flowers.
For poultice in painful swellings.

Per lb.

— 263 —

LIQUORICE. Glycyrrhiza Glabra.

Root. . . . . Nut. Dem. Exp. Lax.
Extract. . . . . " " " "

Licorice. Spanish Juice. Sweet Liquorice. Sweet Wood.

Useful in coughs, catarrh, irritation of the urinary organs, pain of the intestines in diarrhœa, and bronchial affections.

— 264 —

LIVERWORT. Hepatica Americana.

Herb. . . . . Muc. Ast. Pec.

Crystalwort. Kidney Liver Leaf. Liver Moss. Liver Weed. Liver Leaf. Noble Liverwort. Trefoil.

Used in fevers, hepatic complaints, bleeding of the lungs, coughs, etc.

— 265 —

LOBELIA. Lobelia Inflata.

Herb. . . . . A-spa. Eme. Exp. Dia.
Seed. . . . . " " " "

Asthma Weed. Bladder Podded Lobelia. Emetic Weed. Emetic Herb. Eyebright. Gag Root. Puke Weed. Vomitwort. Wild and Indian Tobacco.

Invaluable in spasmodic asthma, croup, pneumonia, catarrh, epilepsy, hysteria, cramps and convulsions. Externally as poultice in sprains, bruises, felons, ringworm, erysipelas, and stings of insects, ivy poison, etc.

— 266 —

LOVAGE. Ligusticum Levisticum.

Leaves. . . . . Aro. Car. Dia.
Root. . . . . " " "
Seed. . . . . " " "

Lavose. Smellage. Sea Parsley.

Combined with other drugs as a corrective and for its flavor. Sometimes used in female complaints and nervousness.

Per lb.

—— 267 ——

LUNGWORT. Pulmonaria Officinalis.
Plant. . . . . Pec. Exp. Dem.
Spotted Comfrey. Spotted Lungwort. Virginia Cowslip.
Used in diseases of the lungs, coughs, influenza, catarrh, etc.

—— 268 ——

LUNGWORT, MAPLE. Sticta Pulmonaria.
Plant. . . . . Bit. Ton.
Tree Lungwort.
Used in pulmonary complaints.

—— 269 ——

MAGNOLIA. Magnolia Glauca.
Bark. . . . . Aro. Ton. Dia.
Beaver Tree. Sweet Magnolia. Swamp Sassafras. White Bay.
Useful in intermittent fever, dyspepsia, erysipelas, dysentery, leucorrhœa, and as wash in tetter, salt rheum, etc.

—— 270 ——

MAIDENHAIR. Adiantum Pedatum.
Herb. . . . . Ref. Exp. Ton. Sud Ast.
Rock Fern.
Valuable in cough, asthma, hoarseness. influenza, pleurisy, jaundice, febrile diseases and erysipelas.

—— 271 ——

MALLOW, LOW. Malva Rotundifolia.
Leaves. . . . . Dem Diu.
Blue Mallows. Cheeses. Dwarf Mallow.
Used for cough, irritation of the bowels, kidneys and urinary organs, and as poultice for boils, etc.

—— 272 ——

MALLOW, MARSH. Althæa Officinalis.
Flowers. . . . . Dem. Diu.
Leaves. . . . . " "
Root. . . . . " "
Mortification Root Sweat Weed. Wymote.
Valuable in hoarseness, catarrh, pneumonia, gonorrhœa, venal irritation, dysentery, strangury, gravel and all kidney complaints; and as poultice in all painful swellings.

Per lb.

— 273 —

MANDRAKE. Podophyllum Peltatum.
Root. . . . . Cat. Alt Ant Hyd. Sia.
American Mandrake. Duck's Foot. Ground Lemon. Hog Apple. Indian Apple. May Apple. Raccoon Berry. Wild Lemon. Wild Mandrake. Yellow Berry.
Valuable in jaundice, bilious and intermittent fever, scrofula, syphilis, liver complaint, rheumatism, and where a powerful cathartic is required.

— 274 —

MAN ROOT. Convolvulus Panduratus.
Root. . . . . Cat.
Bindweed. Kussander. Man-in-the-ground. Mechameck. Mechoacan. Man-of-the-earth. Wild Scammony. Wild Rhubarb. Wild Jalap. Wild Potato.
Has been recommended in dropsy, strangury and calculous affections, diseases of the lungs, liver and kidneys.

— 275 —

MAPLE, RED. Acer Rubrum.
Bark. . . . . Ton. Ant.
Swamp Maple. Whistle Wood.
Used for worms, as a gentle tonic, and as a wash for sore eyes.

— 276 —

MARIGOLD. Calendula Officinalis.
Flowers. . . . . Sti. Dia.
Mary Bud.
Valuable in keeping out eruptions; and the tincture for cuts, bruises, sprains, wounds, etc., and to prevent gangrene is unequalled.

— 277 —

MARJORAM, SWEET. Origanum Marjorana.
Herb. . . . . Sti. Ton. Emm.
Promotes perspiration, menstruation when recently stopped, relieves eruptive diseases.

Per lb.

— 278 —

MARSH ROSEMARY. Statice Caroliniana.
Root . . . . . Ast.
American Thrift. Canker Root. Ink Root. Meadow Root. Lavender Thrift Sea Lavender.
A domestic remedy for dysentery, diarrhœa, canker, leucorrhœa, gleet, etc.

— 279 —

MASTERWORT. Heracleum Lanatum.
Root. . . . . Sti. A-spa. Car.
Seed. . . . . " " "
Cow Parsnip.
Used in flatulency, dyspepsia, epilepsy, asthma, amenorrhœa, colic, dysmenorrhœa, palsy, apoplexy, etc.

— 280 —

MATICO PLANT. Artanthe Elongata.
Leaves. . . Sty. Aro. Bit. Sti. Vul. Aph. A-syp.
Pepper Elder Soldiers' Herb.
Recommended in bleeding at the lungs, stomach or kidneys, fluor-albus, gonorrhœa, piles, dyspepsia, and to arrest hemorrhage from wounds, insect bites, etc.

— 281 —

MAYWEED. Anthemis Cotula.
Herb. . . . . Ton. Eme. A-spa. Emm.
Dog Fennel Dillydil Weed. Fieldwort. Field Weed. Maywort. Stinking Chamomile. Wild Chamomile.
Used in colds to produce perspiration, also in sick headache, amenorrhœa and convalescence from fevers.

— 282 —

MEZEREON. Daphne Mezereum.
Bark. . . . . Sti. Alt. Diu. Nar.
Spurge Olive.
In small doses used in syphilis, scrofula, chronic rheumatism, mercurial syphilis and diseases of the skin.

Per lb.

—— 283 ——

MILKWEED. Asclepias Cornuti (Syriaca).
Root. . . . . Ano Emm. Diu. Alt.
Silkweed. Common Silkweed. Common Milkweed. Silky Swallowwort. Swallowwort.
Valuable in amenorrhœa, dropsy, retention of urine, dyspepsia, asthma and scrofulous diseases.

—— 284 ——

MINT, HORSE. Monarda Punctata.
Herb. . . . . Sti. Car. Sud. Diu. A-Eme.
Used in flatulence, nausea, vomiting, suppression of urine, and as an emmenagogue.

—— 285 ——

MINT, MOUNTAIN. Pycnanthemum Montanum.
Herb. . . . . Sti. Ton. Emm.
Used for obstructed menstruation, to produce perspiration, and in colds, fevers and eruptions.

—— 286 ——

MISTLETOE. Viscum Verticillatum.
Leaves and Twigs. . . . A-spa. Nar. Ton.
Golden-bough.
Said to be useful for pleurisy, vertigo, dysentery, chorea and epilepsy.

—— 287 ——

MOCCASIN ROOT. Cypripedium Pubescens.
Root. . . . . Ton. Sti. Dia. A-spa.
American Valerian. Ladies' Slipper. Nerve Root. Noah's Ark. Bleeding Heart. Indian Shoe. Yellow Moccasin. Pine Tulip. Monkey Flower. Slipper Root. Umbel. Yellow Ladies' Slipper. Yellow Umbel. Venus' Cup. Venus' Shoe.
Invaluable in nervousness, headache, hysterics, and all cases of nervous irritability.

—— 288 ——

MOTHERWORT. Leonurus Cardiaca.
Herb. . . . . Emm. Ner. A-spa. Lax.
Lion's Ear. Lion's Tail. Throwwort.
Valuable in female complaints, nervousness, colds, dilirium, wakefulness, disturbed sleep and liver affections; also as fomentation in painful menstruation.

Per lb.

—— 289 ——

MOUSE EAR. Gnaphalium Uliginosum.
Herb. . . . . Sud. Sto. Muc.
Cud Weed. Dysentery Weed.
Used in coughs, diarrhœa and obstructions.

—— 290 ——

MUGWORT. Artemisia Vulgaris.
Herb. . . . . Dia. Emm Ner.
Useful in epilepsy, hysteria, amenorrhea, promotes perspiration, increases the flow of urine and menses.

—— 291 ——

MULBERRY. Morus Rubra.
Bark. . . . . Pur. Ant.
Fruit. . . . . Ref. Lax.
Bark used to expel tape-worm; the berries are laxative and form a grateful drink after fevers, etc.

—— 292 ——

MULLEIN. Verbascum Thapsus.
Herb. . . . . Dem. Diu. Ano. A-spa.
Seed. . . . . Nar.
Bullock's Lungwort. Flannel Flower. Hares Beard. Hig Taper. Shepherd's Club. Woolen. Velvet Plant.
Used in cough, catarrh, diarrhœa, dysentery, piles, etc.; also as poultice in white-swellings, mumps, sore throat, etc.

—— 293 ——

MUSTARD, BLACK. Sinapis Nigra.
Seed. . . . . Ves.

—— 294 ——

MUSTARD, WHITE. Sinapis Alba.
Seed. . . . . Sti. Rub. Ves.
The whole seed formerly used as a tonic in dyspepsia; ground is used as a condiment; in large doses acts as an emetic. Externally as poultice to rouse the system to activity, relieve pain and mitigate inflammation.

Per lb.

—— 295 ——

MYRRH. Balsamodendron Myrrha.
Gum. . . . . Sti. A-sep. Ver.
Myrrh is a stimulant to the mucous tissues and exerts an antiseptic influence; promotes expectoration and menstruation Used in gleet. catarrh, bronchitis and asthma. also as poultice in sores, ulcers, sore throat, spongy gums, etc.

—— 296 ——

NANNY BUSH. Viburnum Lentago.
Bark. . . . . A-per.
Black Thorn. Nanny Berry. Sheep Berry. Sweet Viburnum.

—— 297 ——

NEPHRITIC PLANT. Parthenium Integrifolium.
Root . . . . . Diu.
Cutting Almond.
Highly extolled as a remedy in strangury. inflammation of the urinary passages and kidneys; also in amenorrhœa.

—— 298 ——

NETTLE. Urtica Dioica.
Herb. . . . . Ast. Ton. Diu.
Root. . . . . " " "
Canada Nettle. Stinging Nettle.
Valuable in diarrhœa, dysentery, hemorrhoids, hemorrhages, gravel and scorbutic affections. The seeds reduce corpulence.

—— 299 ——

NUTGALLS. Quercus Infectoria.
Galls. . . . . Ast.
Dyers' Oak.
Useful in dysentery, diarrhœa, passive hemorrhages, and as injection in gleet, leucorrhœa, prolapsus-ani, and as gargle in sore throat, canker, etc.

Per lb.

—— 300 ——

NUTMEGS. Myristica Fragrans.
Fruit. . . . . Aro Sti. Car.
Mace.
Used for its fine flavor to correct the action of other medicines, to allay vomiting and nausea; charred with alum in intermittent fever.

—— 301 ——

NUX VOMICA. Strychnos Nux Vomica.
Seeds . . . . . Nar. Poi.
Bachelor's Buttons. Columbrina. Dog Button. Ratsbane. False Angostura. Nux Metella. Poison Nut. Quaker Button.
In medicinal doses. tonic, diaphoretic, laxative and diuretic Should be used cautiously.

—— 302 ——

OAK BARK, BLACK. Quercus Nigra. Ast
" " **RED.** " Rubra. "
" " **WHITE.** " Alba. "
Used in sore throat, offensive ulcers, obstinate chronic diarrhœa. hemorrhage, in gargles and injections, in leucorrhœa, prolapsus-ani and piles.

—— 303 ——

OAK OF JERUSALEM. Chenopodium Anthelminticum.
Herb. . . . . Ant. A-spa.
Seed. . . . . " "
American Wormseed. Goosefoot. Jerusalem Tea. Stinking Weed. Wormseed.
Used to expel worms in children; also reputed beneficial in amenorrhœa.

—— 304 ——

ORANGE. Citrus Aurantium.
Flowers. . . . . Aro. A-spa.
Peel. . . . . Aro. Ton.
Used to cover the taste of disagreeable medicines and lessen their tendency to nausea. The fruit after fevers where acids are craved, in scurvy, etc.

Per lb.

— 305 —

ORRIS, FLORENTINE. Iris Florentina.
Root . . . . . Eme. Cat.
Used in the composition of tooth powders and to sweeten an offensive breath.

— 306 —

OSIER, GREEN. Cornus Circinata.
Bark. . . . . Ast Ton.
Alder-leaved Dogwood. Broad-leaved Dogwood. Green Ozier Dogachamus. Round-leaved Cornel. Kinnikinnick.
Useful in diarrhœa, dysentery, as gargle in sore throat, also in typhoid fever and fever and ague.

— 307 —

OSIER, RED. Cornus Sericea.
Bark. . . . . Ton. Ast. Sti.
Blueberry Cornel. Red Ozier. Rose Willow. Red Rod. Red Willow Silky Cornel. Swamp Dogwood.
Valuable in dyspepsia, diarrhœa, and to check vomiting common to pregnancy, and disease of the uterus.

— 308 —

PALMA CHRISTI. Ricinus Communis.
Seeds yield oil. . . . . Cat.
Leaves. . . . . Gal. Emm. F-com.
Castor Oil Plant.

— 309 —

PAREIRA BRAVA. Cissampelos Pareira.
Root. . . . . Ton. Diu. Ape.
Ice Vine. Velvet Leaf.
Used in chronic inflammation of the bladder, disorders of the urinary organs, leucorrhœa, dropsy, jaundice, etc.

— 310 —

PARILLA, YELLOW. Menispermum Canadense.
Root. . . . . Ton. Lax Alt.
Moonseed. Texas Sarsaparilla. Yellow Sarsaparilla. Vine Maple.
A superior laxative bitter, used in scrofula, syphilis, rheumatism, gout, and cutaneous diseases.

Per lb.

—— 311 ——

PARSLEY. Petroselinum Sativum.

Leaves. . . . . Dem. Diu.
Root. . . . . Diu.
Seed. . . . . Car.

Root useful in dropsy, retention of urine, strangury and gonorrhœa. Leaves bruised, as fomentation, cures bites and stings of insects. Seed to destroy vermin in the hair.

—— 312 ——

PEACH. Amygdalus Persica.

Bark. . . . . Ton. Sto.
Leaves. . . . . " "
Pits, (Meats). . . . . " "

Bark and meats (kernels) recommended in intermittent fever. leucorrhœa, dyspepsia, jaundice, etc. The leaves in irritability of the bladder and urethra, inflammation of the stomach and abdomen.

—— 313 ——

PELLITORY. Anacyclus Pyrethrum.

Root. . . . . Rub.

Pellitory of Spain. Spanish Chamomile.

Used for toothache. rheumatic and neuralgic affections of the head, palsy, etc.

—— 314 ——

PENNYROYAL. Hedeoma Pulegioides.

Herb. . . . . Abo. Sti. Dia. Emm. Car.

Squaw Mint. Stinking Balm. Thick Weed. Tick Weed.

Promotes perspiration, restores suppressed lochia, excites the menstrual discharge, and is reported abortive.

—— 315 ——

PEONY. Pæonia Officinalis.

Flowers. . . . . A-spa. Ton. Ner.
Root. . . . . " " "

Valuable in St. Vitus. epilepsy, spasms, nervous diseases and whooping cough. Seeds reputed effective in preventing nightmare of dropsical persons.

Per lb.

—— 316 ——

PEPPER, BIRD. Capsicum Annuum Baccatum.
Fruit. . . . . Sti. Cat. Rub.
Cayenne Pepper. Chillies. Chilly Pepper. Red Pepper. Spanish Pepper.
A powerful stimulant used in colds, rheumatism, spasmodic affections and cholera.

—— 317 ——

PEPPER, BLACK. Piper Nigrum.
Berry. . . . . Aro. Sti.
A favorite condiment. Used in languid state of the stomach and bowels, dyspepsia, colic and intermittents. The tincture to destroy lice, flies, etc.

—— 318 ——

PEPPER, WATER. Polygonum Hydropiper.
Leaves. . . . Acr. Pun. A-sep. Ape. Diu.
Arsmart. Biting Knot Weed. Door Weed. Lake Weed. Smart Weed. Sickle Weed.
Used in amenorrhœa, gravel, colds, coughs, milk sickness, bowel complaints and erysipelas.

—— 319 ——

PEPPERMINT. Mentha Piperita.
Herb. . . . . Sti. A-spa. Car. Sto.
Used in flatulent colic, hysterics, spasm cramps in the stomach, allay nausea and vomiting; also to flavor other medicines.

—— 320 ——

PERUVIAN BARK. Cinchona Calisaya.
Bark. - . . . . . Ton. Feb. A-per.
Jesuits' Bark.
Valuable in all febrile, eruptive and inflammatory diseases of a periodic nature, and in general debility.

—— 321 ——

PILEWORT. Amarantus Hypochondriacus.
Herb. . . . . Ast.
Amaranth. Love Lies Bleeding. Princes' Feather. Red Cockscomb. Spleen Amaranth.
Recommended in severe menorrhagia, diarrhœa, dysentery, hemorrhage of the bowels, leucorrhœa, ulcers, etc.

Per lb.

—— 322 ——

PIMENTO. Eugenia Pimenta.
Berries. . . . . Aro. Sti. Car.
Allspice. Clove Pepper. Jamaica Pepper.
Used to flavor other medicines. The tincture as a remedy for chilblains.

—— 323 ——

PINE, WHITE. Pinus Strobus.
Bark. . . . . Sti. Diu. Pec.
Pitch. . . . . Sti. Diu.
Used in cough, rheumatism, scurvy, kidney complaints. The pitch in gonorrhœa, gleet, fluor-albus, kidney and bladder complaints.

—— 324 ——

PINK. Spigelia Marilandica.
Root. . . . . Sud. Ant.
American Worm Root. Carolina Pink. Indian Pink. Star Bloom. Worm Grass.
An active and certain vermifuge combined with Senna and Manna.

—— 325 ——

PIPSISSEWA. Chimaphila Umbellata.
Herb. . . . . Diu. Ton. Alt. Ast.
Bitter Wintergreen. Ground Holly. King's Cure. Noble Pine. Princes' Pine. Pyrola. Pine Tulip. Wintergreen.
Useful in scrofula, chronic rheumatism, kidney diseases, strangury, gonorrhœa, catarrh of the bladder and cutaneous diseases.

—— 326 ——

PLANTAIN. Plantago Major.
Leaves. . . . . Alt. Diu. A-sep.
Root. . . . . " " "
Englishman's Foot. Round-leaved Plantain.
Beneficial in syphilitic, mercurial and scrofulous diseases, leucorrhœa, diarrhœa, etc. The leaves in ointments.

Per lb.

—— 327 ——

PLEURISY ROOT. Asclepias Tuberosa.

Root. . . . . Diu. Car. Ton.

Butterfly Weed. Canada Root. Flux Root. Orange Swallow Wort. Tuber Root. Wind Root. White Root.

In pleurisy, febrile diseases, flatulency, indigestion, acute rheumatism, dysentery, coughs, inflammation of the lungs, etc.

—— 328 ——

POISON OAK. Rhus Toxicodendron.

Leaves. . . . . Irritant Poison.

Plant. . . . . Poi. Rub. Ves.

Climbing Sumach. Poison Vine. Poison Ivy. Trailing Sumach.

Has been used in chronic paralysis, chronic rheumatism, cutaneous diseases, paralysis of the bladder.

—— 329 ——

POLYPODY. Polypodium Vulgare.

Root and Top. . . . . Pec. Dem. Pur. Ant.

Brake Root. Fern Root. Female Fern. Fern Brake. Rock Polypod. Rock Brake. Stone Brake.

Used in pulmonary and hepatic complaints; also to expel worms.

—— 330 ——

POMEGRANATE. Punica Granatum.

Rind of Fruit. . . . . Ast. Ton.

Bark of Root. . . . . Ast. Ant. F-com.

Flowers. . . . . " " "

Pomegranate Fruit. Punic Apple.

Reputed valuable in removing tape worm, and in intermittent fever, night sweats, passive hemorrhages, diarrhœa, canker in the mouth, etc.

—— 331 ——

POPLAR. Populus Tremuloides.

Bark. . . . . Ton. Feb.

Aspen. Abele Tree. American Poplar. Quiver Leaf. Trembling Poplar. Trembling Tree. White Poplar.

Used in intermittent fever, emaciation and debility, impaired digestion, chronic diarrhœa, worms, gleet, etc.

Per lb.

—— 332 ——

POPPY. Papaver Somniferum.

Capsules. . . . . Emo. Ano.
Flowers. . . . . Nar. Ano.
Leaves. . . . . " "

Valuable to promote rest, and as poultice for painful swellings; the syrup given to restless children to procure sleep.

—— 333 ——

PRAIRIE WEED. Silphium Gummiferum.

Root. . . . . Eme. Feb.
Gum. . . . . Diu.

Prairie Dock. Turpentine Sunflower.
Used in asthma.

—— 334 ——

PRIVET. Ligustrum Vulgare.

Flowers. . . . . Fra.
Fruit. . . . . Cat.
Leaves. . . . . Ast. Bit.

Primwort. Privy. Prim.

—— 335 ——

PTELEA. Ptelea Trifoliata.

Bark. . . . . Ton. Ant.

Ague Bark. Hop Tree. Prairie Grub. Pickaway Anise. Shrubby Trefoil. Stinking Ash. Stinking Prairie Bush. Wing Seed. Wafer Ash.

Recommended in intermittent and remittent fevers, asthma, pulmonary affections, indigestion and dyspepsia.

—— 336 ——

PULSATILLA. Anemone Pulsatilla.

Herb. . . . . Acr. Corrosive, Poi. Rub.

Meadow Anemone. Pasque Flower.

—— 337 ——

PUMPKIN. Cucurbita Pepo.

Seed. . . . . Muc. Diu.

Cold Seeds. Pompion.

Used in scalding of urine, affections of the urinary passages and said to remove tape-worm effectually.

Per lb.

— 338 —

QUASSIA. Simaruba Excelsa.

Wood. . . . . Ton. Feb. Ant.

Bitter Wood. Lofty Quassia. Mountain Damson. Bitter Ash. Stave Wood.

Used in remittent and intermittent fever, dyspepsia, general debility, worms, and to destroy the appetite for alcoholic drinks.

— 339 —

QUEEN OF THE MEADOW. Eupatorium Purpureum.

Herb. . . . . Diu. Sti. Ton.

Root. . . . . " " "

Gravel Root. Joepye. Kidney Root. Purple Boneset. Trumpet Weed.

A valuable remedy in dropsy, strangury, gravel and all urinary disorders.

— 340 —

QUEEN'S ROOT. Stillingia Sylvatica.

Root. . . . . Alt. Eme. Cat.

Cock-up-hat. Marcory. Queen's Delight. Stillingia. Silver Leaf. Yaw Root.

Invaluable in scrofula, syphilis, liver and cutaneous diseases, bronchitis, laryngitis and lung complaints.

— 341 —

QUINCE. Cydonia Vulgaris.

Seed. . . . . Dem. Muc.

Very useful in gonorrhœa, dysentery, diarrhœa, aphthous affections, sore mouth and in ophthalmia as a collyrium.

— 342 —

RASPBERRY. Rubus Strigosus.

Leaves. . . . . Ast.

Red Raspberry.

An excellent remedy in diarrhœa, dysentery, cholera infantum, hemorrhage from the stomach, bowels or uterus, and as injection in gleet, leucorrhœa, canker, etc.

Per lb.

—— 343 ——

RED ROOT. Ceanothus Americana.
Bark . . . . Ast. Exp. Sed. A-spa. A-syp.
New Jersey Tea. Mountain Sweet. Wild Snowball.
Used in gonorrhœa, dysentery, asthma, chronic bronchitis, whooping cough, and as gargle in canker, sore mouth, etc.

—— 344 ——

RHATANY. Krameria Triandria.
Root. . . . . Ast.
Employed in chronic diarrhœa, incontinence of urine, hemorrhages, leucorrhœa, profuse menstruation, vomiting blood, and in spongy gums to consolidate them and preserve the teeth.

—— 345 ——

RHUBARB, AMERICAN. Rheum Rhaponticum.
Root. . . . . Cat. Ton. Ast.
Said to possess the properties of foreign Rheum in a minor degree. Used for costiveness, debility and summer complaint.

—— 346 ——

RHUBARB, INDIA. Rheum Palmatum.
Root. . . . . Cat. Ast. Ton.
Extensively used as a purgative, and in chronic diarrhœa, dysentery, convalescence from exhausting diseases when a mild cathartic is required, infantile complaints, dyspepsia, headache, etc.

—— 347 ——

ROCK BRAKE. Pteris Atropurpurea.
Herb. . . . . Ast. Ant.
Root. . . . . " "
Indian Dream. Winter Fern. "
Efficacious in diarrhœa, dysentery, night sweats, to remove worms, and as vaginal injection in leucorrhœa, suppression of the lochia, etc.

Per lb.

—— 348 ——

ROSE FLOWERS, RED. Rosa Gallica.
" " **PALE.** Rosa Centifolia.

Rose flowers are tonic and mildly astringent. Used in hemorrhages, excessive mucous discharges and bowel complaints; the infusion with pith of Sassafras for inflammation of the eyes, etc.

—— 349 ——

ROSEMARY. Rosmarinus Officinalis.

Leaves. . . . . Sti. A-spa. Emm.

The warm infusion for colds, colic and nervous conditions. The oil in liniments and plasters as an external stimulant.

—— 350 ——

ROSIN WEED. Silphium Laciniatum.

Plant. . . . . Eme. Feb.

Compass Plant Weed. Polar Plant. Pilot Weed.

Heaves in horses.

—— 351 ——

RUE. Ruta Graveolens.

Herb. . . . . Ant. Sti. Emm. A-spa.

Countryman's Treacle.

A narcotic-acrid poison, causing abortion and miscarriage in females. Medicinally, has been used in flatulent colic, hysterics, epilepsy, and as a vermifuge.

—— 352 ——

RUSH, SCOURING. Equisetum Hyemale.

Stalks. . . . . Diu. Ast.

Dutch Rush. Gunbright. Horse-tail Rush. Horse Pipe. Pewterwort. Polishing Rush.

The infusion used for voiding bloody urine, suppression of urine, dropsy, gonorrhœa, gleet, etc.

—— 353 ——

RYE, SPURRED. Sclerotium Clavus.

Fungus. . . . Poi. Emm. Par. Abo. F-com.

Ergot.

Per lb.

—— 354 ——

SAFFRON. Carthamus Tinctorius.
Flowers. . . . . Emm. Dia.
American Saffron. Bastard Saffron. Dyers' Saffron. False Saffron.
Has been used beneficially in amenorrhœa, dysmenorrhœa, chlorosis, hysteria, suppression of the lochial discharges, febrile diseases, scarlet fever, measles, etc.

—— 355 ——

SAGE. Salvia Officinalis.
Herb. . . . . Ton. Ast. Exp. Dia.
Valuable in cough, colds, night sweats, worms, spermatorrhœa, and as gargle for ulcerated sore throat; also to produce perspiration.

—— 356 ——

SAGE, WOOD. Teucrium Canadensis.
Leaves. . . . . Sti. Aro. Ton.
Germander.
Used in infusion for fevers, rheumatism, gout, chlorosis, etc.

—— 357 ——

SANICLE, AMERICAN. Heuchera Americana.
Root. . . . . Powerful Ast
Alum Root. Ground Maple.

—— 358 ——

SANICLE, BLACK. Sanicula Marilandica.
Root. . . . . Ner. Ano. Ast.
Black Snakeroot.
Resembles Valerian. Used in chorea, erysipelas, dysentery, fluor-albus, etc.

—— 359 ——

SANICLE, WHITE. Eupatorium Aromaticum.
Root. . . . . Dia. A-spa. Exp. Aro.
Pool Root. Poolwort. White Snakeroot.
Used in ague, stomach complaints, nervous disease and pulmonary affections.

Per lb.

—— 360 ——

SARSAPARILLA, AMERICAN. Aralia Nudicaulis.
" **SPANISH.** Smilax Officinalis.
Root. . . . . Alt. Diu.
False Sarsaparilla. Rabbits' Root. Small Spikenard. Wild Licorice. Wild Sarsaparilla.
Used in chronic diseases of the skin, rheumatic affections, dropsy, venereal complaints, and in all cases where alteratives are required.

—— 361 ——

SASSAFRAS. Laurus Sassafras.
Bark. . . . . Diu. Aro. Sti. Alt. Dia.
Pith. . . . . Dem. Muc.
Ague Tree. Cinnamon Wood. Saloop. Saxifrax.
Valuable in scrofula and eruptive diseases, and as a flavor. The pith used as an eye wash in ophthalmia and as a drink in disorders of the chest, bowels, kidneys and bladder.

—— 362 ——

SAUNDERS, RED. Pterocarpus Santalinus.
Wood. . . . . Ton. Ast.
Red Wood.
Used only in coloring tinctures, etc.

—— 363 ——

SAVIN. Juniperus Sabina.
Leaves. . . . . Emm. Diu. Dia. Ant.
Used in kidney complaints, suppression of urine and obstructed menstruation.

—— 364 ——

SAXIFRAGE. Pimpinella Saxifraga.
Root. . . . . Aro. Nau. Pun. Sti. Sto.
Small Burnet Saxifrage. Small Saxifrage. Small Pimpernel.

—— 365 ——

SCABIOUS, SWEET. Erigeron Philadelphicum.
Flowers, . . . Diu. Ast. Ton. Dia. Emm.
Mourning Bride. Mourning Widow. Philadelphia Fleabane. Skevish.

Per lb.

—— 366 ——

SCABISH. Œnothera Biennis.
Herb. . . . . Vul. Muc.
Evening Primrose. Tree Primrose.
Valuable in cough, tetter and eruptive diseases.

SCABISH. Œnothera Glauca.
Plant. . . . . Exa. Emo. Det.
Sundrops.

—— 367 ——

SCROFULA PLANT. Scrophularia Marilandica.
Herb. . . . . Deo. Alt. Diu. Ano.
Carpenter's Square. Figwort. Figwort Herb. Healall. Holmes' Weed. Square Stalk.
Valuable in scrofula, cutaneous diseases, dropsy, ulcers, etc.

—— 368 ——

SCULLCAP. Scutellaria Lateriflora.
Herb. . . . . Ton. Ner. A-spa.
Blue Scullcap. Hoodwort. Helmet Flower. Mad-dog-weed. Blue Pimpernel. Side-flowering Scullcap, Madweed. Hooded Willow Herb.
Valuable in all nervous complaints, chorea, wakefulness, delirium tremens, convulsions, excitability, etc.

—— 369 ——

SCURVY GRASS. Cochlearia Officinalis.
Herb. . . . . A-sco. Stl. Dia. Diu.
Scrubby Grass. Spoonwort.
Valuable in scurvy and obstructions, dropsy, paralysis and rheumatism.

—— 370 ——

SEA WRACK. Fucus Versiculosus.
Yields kelp.
Fucus. Bladder Wrack.
Used in obesity

Per lb.

— 371 —

SENNA, AMERICAN. Cassia Marilandica.
Leaves. . . . . Cat. Deo.
Locust Plant. Wild Senna.
A valuable cathartic, mild and effectual.

— 372 —

SENNA, ALEXANDRIAN. Cassia Acutifolia.
" **INDIA.** " Elongata.
Leaves. . . . . Cat.
A certain and convenient cathartic, and may be used in all cases where a physic is required. The griping may be modified by ginger or cloves added.

— 373 —

SHAG-BARK TREE. Hicorya (Carya) Alba.
Bark. . . . . Cat.
Fruit. . . . . Esc.
Leaves. . . . . Mild Ast.
Ackroot. Hickory Tree. Shag-bark Walnut. Walnut.
Used in scrofula, debility, diarrhœa, and as a gentle cathartic; as a wash for ulcers and sore eyes.

— 374 —

SHAMROCK. Oxalis Acetosella.
Plant. . . . . Aci. Ref. Diu. A-sco.
Cuckoo Bread. Sour Trefoil. Wood Sorrel.

— 375 —

SHEPHERDS' PURSE. Capsella Bursa-pastoris.
Herb. . . . . Acr. Det. Ast.
Cocowort. Pickpocket. Pickpurse. Poor Man's Pharmacetty. Toywort.
Used with Yarrow to check profuse menstruation and hemorrhage.

— 376 —

SHEPHERDS' WEATHERGLASS. Anagallis Arvensis.
Plant. . . . . A-ven. Poi. Ner. Exp. Sti.
Red Chickweed. Scarlet Pimpernel.

Per lb.

—— 377 ——

SHOVEL WEED. Unisema Deltifolia.
Root. . . . . Emo. Ast. Det.
Seed. . . . . Far.
Pickerel Weed.

—— 378 ——

SMILAX, BOSTON. Myrsiphyllum Asparagoides.
Plant. . . . . Orn. Decorative.
Cape Smilax.

—— 379 ——

SNAKEROOT, BUTTON. Liatris Spicata.
Root. . . . . Diu. Ton. Emm.
Backache Root. Devil's Bit. Gayfeather. Prairie Pine. Rough Root. Sawwort. Throatwort.
Valuable in scrofula, dysmenorrhœa, amenorrhœa, gleet, etc.; also in Bright's disease, combined with Bugle and Unicorn.

—— 380 ——

SNAKEROOT, CANADA. Asarum Canadense.
Root. . . . . Sti. Aro. Dia.
Broad-leaved Asarabacca. Coltsfoot Snakeroot. Catfoot. Heart Snakeroot. Indian Ginger. Southern Snakeroot. Vermont Snakeroot. Wild Ginger. False Coltsfoot.
Valuable in causing perspiration, promotes expectoration, and possesses carminative properties. Used in colic, etc.

—— 381 ——

SNAKEROOT, RATTLE. Goodyera Pubescens.
Herb. . . . . A-sco.
Adder's Violet. Networt. Net-leaf Plantain. Spotted Plantain. Rattlesnake Leaf.
Reputed to have cured scrofula; also used in leucorrhœa. prolapsus-uteri, and as a wash in scrofulous ophthalmia.

—— 382 ——

SNAKEROOT, SAMPSON. Gentiana Ochroleuca.
Root. . . . Bit. Ton. Ant. Ast. A-bil. Feb.
Employed to invigorate the stomach and digestive organs, hectic and nervous fevers, gout and rheumatism.

Per lb.

—— 383 ——

SNAKEROOT, SENEGA. Polygala Senega.
Root. . . . . Sia. Exp. Diu. Eme. Cat. Emm.
Mountain Flax. Seneca Root. Seneka Snakeroot. Senega Root.
In chronic catarrh, croup, asthma and lung diseases.

—— 384 ——

SNAKEROOT, VIRGINIA. Aristolochia Serpentaria.
Root. . . . . Sti. Ton. Dia.
Birthwort. Pelican Flower. Sangrel. Snakeweed. Sangree Root. Thick Birthwort.
To produce perspiration, strengthen the stomach, appetite, etc.

—— 385 ——

SNEEZEWORT. Achillea Ptarmica.
Root. . . . . Acr.
Leaves. . . . . Ste. Pun.
German Pellitory. Bastard Pellitory.

—— 386 ——

SOAP TREE. Quillaya Saponaria.
Bark. . . . . Sap. Feb.
Quillai Bark. Quillaya.
Used in preparations for cleansing the hair, and as a snuff for cold in the head; also as febrifuge.

—— 387 ——

SOAPWORT. Saponaria Officinalis.
Herb. . . . . Ton. Dia. Alt.
Bruisewort. Bouncing Bet. Fullers' Herb. Old Maid's Pink. Sheep Weed.
Valuable in syphilis, scrofula, cutaneous diseases, jaundice, liver complaint, etc.

—— 388 ——

SOLOMON SEAL. Convallaria Multiflora.
Root. . . . . Ton. Muc. Ast.
Dropberry. Giant Solomon Seal. Sealwort. Seal Root.
Much used in female debility, leucorrhœa, piles and pectoral affections, erysipelas, and as a wash in poison from ivy, etc.

Per lb.

—— 389 ——

SOLOMON SEAL, SMALL. Convallaria Racemosa.
Root. . . . . Ast. Ton. Muc. Exp. F-com.

—— 390 ——

SORREL, MOUNTAIN. Oxyria Reniformis.
Leaves . . . . . Diu. Ref.

—— 391 ——

SORREL, SHEEP. Rumex Acetosella.
Leaves. . . . . Diu. Ref.
Cuckoo Bread. Wood Sorrel.
Used in scurvy, scrofula and skin diseases. As poultice to tumors, wens, boils, etc., and an extract said to cure cancers and tumors.

—— 392 ——

SOUTHERNWOOD. Artemisia Abrotanum.
Herb. . . . . Sti. Ner. Ton. Ant.
Boy's Love. Lad's Love. Old Man. Sloven Wood.
Valuable in obstructions, and to remove worms.

—— 393 ——

SPEARMINT. Mentha Viridis.
Herb. . . . . A-spa. Car. Sti. Diu.
Valuable in colic, spasms, dropsy, and to prevent vomiting, gravel, suppression of urine, scalding of urine, and as local application to piles.

—— 394 ——

SPEEDWELL. Veronica Officinalis.
Herb. . . . . Exp. Alt. Ton. Diu.
Virginia Speedwell.
Recommended in croup, catarrh, renal and skin diseases, jaundice, scrofula, etc.

—— 395 ——

SPIKENARD. Aralia Racemosa.
Root. . . . . Pec. Sto.
American Spikenard. Indian Root. Life-of-man. Spignet. Petty Morrel.
Used in coughs, colds, pulmonary affections, gout, skin diseases, and to purify the blood.

Per lb.

—— 396 ——

SPLEENWORT. Asplenium Adiantum Nigrum.
Herb. . . . . Dem. Pec.
Used in pectoral and lung diseases.

—— 397 ——

SPUNK. (Species of Agaric.) Boletus Fomentarius.
Plant. . . . . Sty. Ast. Bit.
Oak Agaric.

—— 398 ——

SPURGE, BLACK. Euphorbia Maculata.
Leaves. . . . . Ast. Ton. Nar.
Spotted Spurge.

—— 399 ——

SPURGE, BLOOMING. Euphorbia Corollata.
Root. . . . . Eme. Dia. Exp.
Emetic Root. Large Flowering Spurge. Milk Pursley. Milkweed. Milk Ipecac. Milk Purslain. Picac. Hippo. Purging Root. Snake Milk. White Pursley. White Purslain.
Valuable in dropsy.

—— 400 ——

SPURGE, LARGE SPOTTED. Euphorbia Hypericifolia.
Leaves. . . . . Ast. Ton. Nar.

—— 401 ——

SQUAW VINE. Mitchella Repens.
Herb. . . . . Par Diu. Ast.
Deer Berry. Hive Vine. One Berry. Partridge Berry. Winter Clover.
Highly beneficial in diseases of the uterus, parturition, dropsy, suppression of urine; a powerful uterine tonic.

—— 402 ——

SQUILL. Scilla Maritima.
Root (bulb) . . . . Exp. Diu. Cat. Eme.
Sea Onion.
Sometimes used in dropsy, and as an expectorant in chronic catarrh, pneumonia, asthma, phthisic and other bronchial affections.

Per lb.

—— 403 ——

STONE ROOT. Collinsonia Canadensis.
Root and Plant. . . . . Sti.
Horse Balm Horse Weed. Hardhack. Healall. Knob Grass. Knob Root. Ox Balm. Richweed.
Used in chronic catarrh of the bladder, fluor-albus and debility of the stomach, lithic acid, calculous deposits, etc.

—— 404 ——

STORAX BARK. Liquidambar Orientale.
Gum. . . . . Aro. Fragrant, Bal. Sti Exp.
Sweet Gum Bark.

—— 405 ——

STRAWBERRY. Fragaria Vesca (Virginiana).
Leaves. . . . . Ast. Feb. Ref.
Useful in diarrhœa, dysentery, intestinal debility and night sweats. The fruit in calculous disorders and gout.

—— 406 ——

SUMACH. Rhus Glabrum.
Bark. . . . . Ton. Ast. A-sep.
Berries . . . . . Ref Diu
Leaves. . . . . Ton. Ast. A-sep.
Pennsylvania Sumach. Smooth Sumach. Upland Sumach.
Valuable in gonorrhœa, leucorrhœa, diarrhœa, hectic fever and scrofula. The berries in diabetes, bowel complaint, febrile diseases, canker, sore mouth, etc.

—— 407 ——

SUMBUL. Euryangium Sumbul.
Root. . . . . Aro. Bal. Sti. Ton.
Musk Root.

—— 408 ——

SUMMER SAVORY. Satureja Hortensis.
Herb. . . . . Sti. Car. Emm.
Beneficial in colds, menstrual suppression, flatulent colic, and as a gentle, stimulating tonic after fevers. The oil used to relieve toothache.

Per lb.

—— 409 ——

SUNDEW. Drosera Rotundifolia.
Plant. . . . . Acr. Det. Rub. Pec. Aph.
Round-leaved Sundew. Youthwort.

—— 410 ——

SUNFLOWER. Helianthus Annuus.
Seed. . . . . Exp. Diu.
Comb Flower. Garden Sunflower.
Used in cough and pulmonary affections, dysentery, inflammation of the bladder and kidneys. The leaves are astringent.

—— 411 ——

SUNFLOWER, SWAMP. Helenium Autumnale.
Flowers. . . . . Err.
Herb. . . . . Ton. Dia. Err. Feb.
Sneezewort. False Sunflower.

—— 412 ——

SWEET FLAG. Acorus Calamus.
Root. . . . . Car. Sto. Sti.
Calamus. Grass Myrtle. Myrtle Flag. Sweet Flagroot. Sweet Myrtle. Sweet Sedge. Sweet Root. Sweet Cane. Sweet Rush.
Used in flatulent colic, dyspepsia, feeble digestion, and to aid the action of Peruvian Bark in intermittents. Externally to excite the discharges from blistered surfaces, indolent ulcers and issues.

—— 413 ——

TAMARACK. Larix Americana.
Bark. . . . . Lax. Ton. Diu Alt.
Gum-resin. . . . . C-irr.
American Larch. Black Larch. Hackmatac. Larch.
Recommended in obstructions of the liver, rheumatism, jaundice and cutaneous diseases.

—— 414 ——

TANSY. Tanacetum Crispum.
Herb. . . . . Ton Emm. Dia.
Double Tansy. Double-flowered Tansy. Hindheel.
In fevers, agues, hysterics, dropsy, worms, and as fomentation in swellings, tumors, inflammation, etc.

Per lb.

—— 415 ——

THIMBLEWEED. Rudbeckia Laciniata.
Herb . . . . . Diu. Ton. Bal.
Cone Disk. Cone Flower.
Valuable in Bright's disease, wasting of the kidneys, and urinary complaints generally.

—— 416 ——

THISTLE ROOT. Cirsium Arvensis.
Root. . . . . Ton. Ast.
Blessed Thistle. Canada Thistle. Cursed Thistle. Holy Thistle.
Boiled with milk for dysentery and diarrhœa.

—— 417 ——

THORN-APPLE. Datura Stramonium.
Leaves (poisonous) . . . A-spa. Nar. Sed.
Seeds " . . A-spa. Nar. Anti-Abo.
Apple Peru. Jamestown Weed. Jimson Weed. Mad Apple. Stinkwort.
In epilepsy, tic-douloureux and nervous affections, ophthalmic operations, etc. The leaves smoked to relieve spasmodic asthma. The seeds to prevent abortion.

—— 418 ——

THYME. Thymus Vulgaris.
Herb. . . . . Ton. Car. Emm. A-spa.
Used in dyspepsia, weak stomach, hysteria, dysmenorrhœa, flatulence, colic, headache and to produce perspiration.

—— 419 ——

TORMENTILLA. Potentilla Tormentilla.
Root. . . . . Ast. Ton.
Septfoil. Shepherd's Knot.
Used in chronic diarrhœa, dysentery, passive hemorrhages, as an astringent injection, and as a local application to flabby ulcers.

—— 420 ——

TOUCH WOOD. Polyporus Ignarius.
Plant. . . . . Sty. Ast. Bit.
Agaric. Punk.

Per lb.

—— 421 ——

TURKEY CORN. Corydalis Formosa.
Root. . . . . Ton. Diu. Alt.
Dielytra. Stagger-weed. Turkey Pea.
One of the best remedies in syphilitic diseases, also in scrofula and cutaneous affections.

—— 422 ——

TURMERIC ROOT. Curcuma Longa.
Root. . . . . Aro. Sti.
Curcuma.
Used to color tinctures and ointments; also as a test for alkalies which turn it red or brown.

—— 423 ——

TWIN-LEAF. Jeffersonia Diphylla.
Root. . . . . Sti. Dia. Diu. Alt. A-spa.
Ground Squirrel Pea. Helmet Pod. Rheumatism Root.
Successfully used in chronic rheumatism, secondary syphilis, mercurial syphilis, dropsy and nervous affections, spasms, cramps, etc.; as gargle in diseases of the throat, scarlatina and indolent ulcers.

—— 424 ——

UNICORN. Helonias Dioica.
Root. . . . Alt. Emm. F-com. Ton. Diu. Ver.
Drooping Starwort. False Unicorn. Red Seed. Unicorns' Horn.
Invaluable as a uterine tonic, imparting tone and vigor to the reproductive organs; used in leucorrhœa, amenorrhœa, dysmenorrhœa, and to remove the tendency to miscarriage.

—— 425 ——

UVA URSI. Arctostaphylos Uva Ursi.
Leaves. . . . . Ton. Diu. Ast.
Berries. . . . . Ton. Ast.
Bearberry. Bears' Grape. Kinnikinnick. Mountain Box. Mountain Cranberry. Meal Berry. Sagackhomi. Upland Cranberry. Universe Vine.
Used in chronic affections of the kidneys and urinary passages, strangury, diabetes, fluor-albus, and excessive mucous discharges with the urine, lithic acid, etc.

Per lb.

— 426 —

VALERIAN, ENGLISH. Valeriana Officinalis.
Root. . . . . Ton. Ner.
All Heal. American English Valerian. Officinal Valerian. Setwall. Vandal Root.
Used in chorea, nervous debility, hysteria, and low forms of fever where a nervous stimulant is required.

— 427 —

VERVAIN. Verbena Hastata.
Herb and Root. . . . Ton. Eme. Exp. Sud.
American Vervain. Blue Vervain. False Vervain. Purvain. Simpler's Joy. Traveller's Joy. Wild Hyssop.
Used in intermittents, colds, obstructed menses, scrofula, gravel, worms, etc.

— 428 —

VIOLET, BLUE. Viola Pedata.
Herb. . . . . Muc. Emo. Lax. A-syp.
Birdsfoot Violet.
Used in colds, cough, sore throat, etc.

— 429 —

VIOLET, CANKER. Viola Rostrata.
Herb. . . . . Muc. Emm. Lax.
Plant. . . . . Pec. Eme.
Beaked Violet.
Said to be useful in pectoral and cutaneous diseases, also in syphilis.

— 430 —

VIRGIN'S-BOWER. Clematis Virginica.
Leaves. . . . . Sti. Ner.
Used in severe headache, cancerous ulcers and as ointment in itch.

— 431 —

WAHOO. Euonymus Atropurpureus.
Bark. . . . . Ton. Lax. Alt. Diu. Exp.
Seed. . . . . Cat.
Arrow Wood. Burning Bush. Bitter Ash.
Useful in intermittents, dyspepsia, torpid liver, constipation, dropsy and pulmonary affections.

Per lb.

— 432 —

WATER CUP. Sarracenia Purpurea and Flava.
Herb. . . . . Ton. Sti Diu. Lax.
Eve's Cup. Flytrap. Forefathers' Cup. Huntsman's Cup. Pitcher Plant. Side-saddle Plant Side-saddle Flower. Smallpox Plant.
Used in chlorosis, all uterine derangements, dyspepsia and gastric difficulties; said to be useful in smallpox.

— 433 —

WATERMELON. Cucurbita Citrullus.
Seed. . . . . Muc. Diu.
Cold Seeds.
Valuable in strangury and other urinary affections, dropsy, etc.

— 434 —

WHITE WOOD. Liriodendron Tulipifera.
Bark. . . . . A-per. Ton. Sti.
Canoe Wood. Lyre Tree Tulip Tree. Tulip Poplar. White Poplar. Wild Poplar. Yellow Poplar.
Useful in intermittent fever, low condition of the system, dyspepsia, diarrhœa, hysteria, etc.

— 435 —

WHORTLEBERRY. Vaccinium Corymbosum.
Fruit . . . . . Diu. Ast.
Bilberry. Black Whortleberry. Huckleberry.
A valuable diuretic. The bark for gargle in sore mouth.

— 436 —

WICKUP. Epilobium Spicatum.
Herb and Root . . . . . Ast
Indian Wicopy. Marestail. Willow Herb. Wicopy Herb.
Used in dysentery, diarrhœa, and where an astringent is required.

— 437 —

WILLOW, PUSSY. Salix Nigra.
Bark. . . . . Ton. Ast. Ant.
Catkins . . . . . Ton. Aph.
Used in indigestion, in weak and relaxed condition of the bowels, diarrhœa, worms, gangrene, indolent ulcers, etc. The catkins an aphrodisiac.

Per lb.

— 438 —

WILLOW, SAGE. Lythrum Salicaria.
Bark. . . . . Ast.
Herb. . . . . Muc. Ast. Dem A-syp.
Loose Strife. Purple Willow Herb. Rainbow Weed.
Used for canker in the mouth, stomach and bowels.

— 439 —

WILLOW, WHITE. Salix Alba.
Bark. . . . . Ton. A-per. Ast.
Used in intermittent fever, debility of the digestive organs, hemorrhages, chronic mucous discharges, diarrhœa and dysentery.

— 440 —

WINTERGREEN, SPOTTED. Chimaphila Maculata.
Plant. . . . Diu. Ton. Alt. Ast. Exa. A-syp.
Spotted Pipsissewa.

— 441 —

WINTER'S BARK. Wintera Aromatica.
Bark. . . . . Sti. Aro. Ton. A-sco.
Used in scurvy, weakened digestion, low fevers, fever and ague, etc.

— 442 —

WITCH HAZEL. Hamamelis Virginica.
Bark. . . . . Ton Ast. Sed.
Leaves. . . . . " " "
Pistachio. Snapping Hazel. Spotted Alder. Striped Alder. Wood Tobacco. Winter Bloom.
Valuable in diarrhœa, dysentery, excessive mucous discharges, etc., as a wash in painful swellings, gargle for canker, injection for fluor-albus.

— 443 —

WORMWOOD. Artemisia Absinthium.
Herb. . . . . Ant. Ton. Nar.
Absinthium.
Used in intermittent fever, jaundice and worms; also to promote the appetite. Externally in bruises and inflammations.

Per lb.

—— 444 ——

WORMWOOD, ROMAN. Ambrosia Artemisiæfolia.
Herb. . . . . Emo. A-sep.
Hogweed. Ragweed. Stammerwort.
Used as fomentation in wounds and bruises, and as ointment in piles, ulcers, to reduce painful swellings, etc.

—— 445 ——

YAM, WILD. Dioscorea Villosa.
Root. . . . . A-spa.
Colic Root China Root. Devil's Bones.
Successfully used in bilious colic, spasms, cramps, flatulence, after-pains, affections of the liver, etc.

—— 446 ——

YARROW. Achillea Millefolium.
Herb. . . . . Ast. Alt. Diu.
Milfoil. Nosebleed.
Used in hemorrhages, incontinence of urine, diabetes, piles, dysentery, flatulence, and as injection in leucorrhœa.

—— 447 ——

YELLOW ROOT. Xanthorhiza Apiifolia.
Root. . . . . Ton.
Shrub Yellow Root.
A pure bitter tonic, and may be used for all purposes where simple bitter tonics are applicable.

—— 448 ——

YERBA SANTA. Eriodyction Glutinosum & Californicum.
Bear's Weed. . . . . Pec. Ton. Muc.
Consumptives' Weed. Holy Herb. Mountain Balm.
Useful in chronic laryngitis and bronchitis, in nasal catarrh and rheumatism.

INDEX.

*** The numbers refer to the paragraph not the page.

Aaron's Beard..... 1
Abele Tree..... 331
Abscess Root..... 2
Absinthium..... 443
Ackroot..... 373
Aconite..... 3
Acrid Lettuce..... 255
Adam and Eve..... 4
Adam's Apple..... 5
Adder's Mouth..... 111
" Leaf..... 6
" Tongue..... 6
Agaric..... 420
" Larch..... 7
" Oak..... 397
" of the Oak..... 7
" Purging..... 7
" White..... 7
Agave, American..... 8
" Virginian..... 9
Agrimony..... 10
" Hemp..... 11
Ague Bark..... 335
" Grass..... 60
" Root..... 60
" Tree..... 361
" Weed..... 64
Alder, American..... 14
" Black..... 12
" Brook..... 12
" Common..... 14
" False..... 12
Alder, Red..... 13
" Smooth..... 13
" Spotted..... 442
" Striped..... 12, 442
" Swamp..... 13
" Tag..... 13, 14
" White..... 15
Ale Cost..... 138
" Hoof..... 239
Alkanet..... 16
" Dyers'..... 16
All Heal..... 426
Allspice..... 322
Almond, Cutting..... 297
Aloe, American..... 8
" False..... 9
" Root..... 60
Alum Root.....142, 357
Amaranth..... 321
Amazon Root..... 189
Ambrosia, Tall..... 222
Anemone, Meadow..... 336
Angelica..... 17
" American..... 17
" High..... 17
" Purple..... 17
" Tree..... 161
Angostura..... 18
" False..... 301
Angustura..... 18
Anise, Common..... 19
" Root..... 115

Anise Seed..... 19
Antimony, Vegetable.. 64
Apple, Indian..... 273
" May 273
" Peru..... 417
" Tree Bark..... 20
Arabian Balsam of Gilead 35
Arbor Vitæ..... 21
Arbutus, Trailing..... 200
Archangel..... 17
" Green..... 75
" Purple..... 76
Areca Nut..... 22
" Palm..... 22
Arnica..... 23
Arrow Wood..... 24, 431
" " Indian... 67
Arsmart..... 318
Asarabacca, Broad-leaved..... 380
Ash Berries, Prickly.. 27
" Bitter.....338, 431
" Black..... 25
" Mountain..... 26
" Poison 186
" Prickly..... 27
" Southern Prickly. 28, 161
" Sea..... 28
" Stinking..... 335
" White 29
Asparagus..... 30
Aspen..... 331
Aster..... 124
" Red-stalked..... 124
Asthma Weed..... 265
Astringent Root..... 142
Avens Root..... 31
" Purple..... 31
" Water..... 31
" White..... 31

Bachelor's Buttons.... 80, 301
Backache Brake..... 32
" Root..... 379
Badgersbane 3
Balm, Bastard..... 33
" Bee..... 34, 36
" Blue..... 36
" Field..... 98
" Indian..... 50
" Lemon 36
" Mountain..... 34, 448
" of Gilead..... 35
" of Gilead Herb. 38
" Red..... 34
" Stinking..... 314
" Sweet..... 38
Balmony..... 37
" East India.... 114
Balsam of Canada.... 178
" Fir..... 178
" of Fir..... 178
" Seaside..... 96
" Sweet..... 258
" Weed..... 101,258
" White..... 258
Baneberry 128
" Red 127
" White..... 128
Barberry..... 39
Bardana 77
Bardane 77
Basil, Common 40
" Sweet..... 40
" Wild..... 154
Basswood..... 41, 262
Bastard Bear's Foot... 210
Bast Tree..... 41
Bayberry..... 42
Bay Bush Buds..... 171
Bay, Sweet..... 43
Bead Tree..... 44
Bean Trefoil..... 72
Beaked Violet..... 429
Bearbane..... 3
Bearberry..... 425
Bear's Bed..... 204
" Foot..... 45, 210
" Grape..... 425
Bear's-paw Root..... 170
Bear's Weed..... 448

Beastsbane..... 3
Beaumont Root..... 59
Beaver Poison..... 116
" Root..... 261
" Tree..... 269
Beccabunga..... 68
Bedeguar 157
Bedstraw..... 118
Beech Drops..... 85
" Tree..... 46
Bee's Nest Plant..... 95
Beggars' Tick..... 145
Beggars' Tick, Swamp. 47
Belladonna..... 48
Bellwort..... 49
" Large-flowered. 49
Bellyache Root..... 17
Benjamin Bush..... 173
Bennet..... 31
Betel-nut Tree..... 22
Beth Root..... 50
Betony 51
" Water..... 53
" Wood 51
Bilberry 435
Bindweed..... 274
Birch, Black..... 52
" Cherry..... 52
" Mahogany..... 52
" Sweet..... 52
Bird's Nest Root..... 95, 180
Bird Weed..... 247
Birth Root..... 50
Birthwort 384
" Thick..... 384
Bistort..... 54
Bishop's Leaves..... 53
Biting Knot Weed..... 318
Biting Stone Crop 225
Bitter Apple..... 130
" Bark 184
" Bloom..... 103
" Clover..... 103
" Gourd 130
" Herb..... 37
" Root..... 55
Bitter Stem..... 114
" Stick 114
Bittersweet, Climbing. 56
" False.... 56
" Twigs.... 57
Bitter Trefoil..... 72
" Wintergreen.... 325
" Wood..... 338
Bitterworm..... 72
Bitterwort..... 192
Blackberry..... 58
Black Root..... 59
" Thorn..... 296
Bladder Podded Lobelia..... 265
Bladder Wrack..... 370
Blazing Star..... 60
Bleeding Heart..... 287
Blessed Thistle..... 94, 416
Blister Weed..... 80
Blood Root..... 61
" Staunch..... 183
Bloodwort..... 62
" Striped..... 62
Blue Bells..... 2, 193
" Berry..... 126
Blueberry Cornel..... 307
Blue Gum Tree..... 176
" Mallows..... 271
Bog Bean..... 72
Boneset..... 64
" Purple..... 339
Bookoo..... 71
Borage..... 65
Bouncing Bet..... 387
Bowman's Root..... 59
Box..... 66
" Berry..... 107
" False..... 67
" Garden Edging... 66
Boxwood..... 67
Boy's Love..... 392
Brake, Buckhorn..... 73
" Fern..... 73, 329
" Flowering..... 73
" Rock.....329, 347

Brake Root..... 329
" Sweet..... 170
Brandybottles..... 261
Brinton Root..... 59
British Tobacco..... 133
Broad-leaved Kalmia.. 251
Brook Bean..... 72
Brooklime..... 68
Broom..... 69
" Flowers..... 69
" Indigo..... 235
" Irish..... 69
Broomrape..... 85
Broom, Yellow..... 235
Bruisewort..... 387
Bryony, White..... 70
" Wild..... 70
Buchu..... 71
Buckbean..... 72
Buckthorn..... 74
" Purging.... 74
Bucku..... 71
Bugbane.....125, 212
Bugle, Bitter..... 75
" Sweet..... 76
" Water..... 76
" Weed..... 76
Buglewort..... 76
Bugloss..... 65
Bugwort..... 125
Buku..... 71
Bullock's Eye..... 224
Bullsfoot..... 133
Burdock..... 77
" Sea..... 119
Bur Marigold..... 145
Burning Bush..... 78, 431
Burrage..... 65
Bur-reed, Spiny..... 79
Burr Seed..... 77
" Thistle..... 119
" Weed..... 119
Burrwort..... 80
Butter Bur..... 133
Buttercup..... 80
Butterfly Weed..... 327
Butternut..... 81
Butter Weed..... 183

Cabbage, Skunk..... 82
Cactus..... 83
" Night-blooming. 83
Calamba Root..... 132
Calamint..... 84
Calamus..... 412
Calico Bush..... 251
Canada Nettle..... 298
" Root..... 327
" Tea..... 107
Canadian Bur..... 223
Cancer Drops..... 85
" Root..... 85
" Weed..... 86
Candle Berry..... 42
Cane, Sweet..... 412
Canella..... 87
Canker Lettuce..... 88
" Root.....89, 198, 278
" Violet..... 429
" Weed..... 89
Canoe Wood..... 434
Caraway..... 90
Cardamom..... 91
Cardinal, Blue..... 92
" Flower..... 93
" Red..... 93
Cardus, Spotted..... 94
Carolina Jessamine... 243
Carpenter's Herb..... 76
" Square.... 367
Carragheen..... 236
Carrion Flower..... 239
Carrot, Wild..... 95
Cascarilla..... 96
Cassia..... 97
Castor Oil Plant..... 308
Catarrh Root..... 189
Catch Fly..... 55
" Weed..... 118
Catmint..... 98
Catnip..... 98
Catsfoot.....239, 380

Cat's-paw..... 239
Catswort..... 98
Cedar Apples..... 99
" Red..... 99
" White..... 21
Celandine, Garden.... 100
" Wild..... 101
Celery..... 102
Centaury, American... 103
" Ground..... 104
" Red..... 103
Century Plant, Am.... 8
Cereus, Night-blooming 83
Chafe Weed..... 258
Chamomile..... 105
" Garden..... 105
" German.... 106
" Low..... 105
" Roman..... 105
" Spanish.... 313
" Wild..... 281
Chamomilla..... 106
Checkerberry..... 107
Cheese Rennet Herb... 118
Cheeses..... 271
Cherry, Black..... 108
" Poison, Black. 48
" Wild..... 108
Chervil, Sweet..... 115
Chestnut..... 109
" Horse..... 110
Chickweed..... 111
" Red..... 376
Chicory..... 112
Chiendent..... 247
Children's Bane..... 116
Chillies..... 316
Chilly Pepper..... 316
China Root..... 445
" Root, American. 113
Chink..... 107
Chirayta..... 114
Chiretta..... 114
Chocolate, Indian..... 31
" Root..... 31
Cicily, Sweet..... 115
Cicuta..... 116
Cinnamon, White..... 87
" Wild..... 87
" Wood..... 361
Cinquefoil..... 181
Citronelle..... 36
Clabbergrass..... 118
Clammy Sage..... 117
Clapwort..... 85
Clary..... 117
Clary, Wild..... 117
Clear Eye..... 117
Cleaver Grass..... 120
Cleavers..... 118
Cleaverwort..... 118
Clivers..... 118
Clotbur..... 77, 119
Cloud Berry Root..... 58
Clove Garlic..... 191
" Pepper..... 322
Clover, Broom..... 235
" Red..... 120
" Sweet..... 248
" White..... 121
Cloves..... 122
Coakum..... 190
Coca Leaves..... 123
Cocash Root..... 124
" Weed..... 259
Cockleburr..... 10
Cockscomb, Red..... 321
Cockspur Rye..... 165
Cock-up-hat..... 340
Cocowort..... 375
Cohosh, Black..... 125
" Blue..... 126
" Red..... 127
" White..... 128
Colchicum..... 129
Cold Seeds.....337, 433
Cold Water Root..... 124
Colic Root..... 60, 445
Coliander Seeds..... 137
Collard..... 82
Colocynth..... 130
Colomba Root..... 132

Colombo..... 132
" American.... 131
Columbo..... 132
Columbo Root..... 132
Coltsfoot..... 133
Colt's-tail..... 183
Columbrina..... 301
Comb Flower..... 410
Comfrey..... 134
Compass Plant Weed.. 350
Condor Vine..... 147
Cone Disk..... 415
Cone Flower..... 415
Consumption Brake... 135
Consumption Weed... 88
Consumptives' Weed.. 448
Convulsion Weed..... 180
Coolwort..... 136
Coral Root..... 143
Coriander..... 137
Cornel, Florida..... 67
Cornel, Round-leaved. 306
Corpse Plant..... 180
Cossoo..... 148
Costmary..... 138
Cotton Plant Root..... 139
Couch Grass..... 247
Cough Root..... 50
" Weed..... 259
Countryman's Treacle. 351
Cowbane, Spotted..... 116
Cow Cabbage..... 260
Cowhage..... 140
" Plant Seed, The 140
Cow Lily..... 261
Cramp Bark..... 141
Cranberry, High..... 141
" Mountain.. 425
Cranesbill..... 142
Crawley Root..... 143
Creeper, Virginia..... 238
Crosswort..... 64
Crow Corn Root..... 60
Crowfoot..... 142
" Acrid..... 80
Crystalwort..... 264
Cubebs..... 144
Cuckold..... 145
Cuckoo Bread.....374, 391
" Pint..... 234
Cucumber, Bitter..... 130
Cud Weed.....258, 289
Culver's Physic..... 59
" Root..... 59
Cummin Seed..... 146
" " Black... 146
" " Sweet.. 146
Cundurango..... 147
Cup Plant, Indian..... 229
Curcuma..... 422
" Ohio..... 197
Cureall..... 31, 36
Cusso..... 148

Daisy, Ox-eye..... 149
" White..... 149
Damiana Flowers..... 150
Damson, Mountain.... 338
Dandelion..... 151
Dead Men's Bells..... 185
Dead Nettle..... 17
Death of Man..... 116
Deer Berry.....107, 401
" Tongue..... 152
Devil's Bit..... 379
" Bones..... 445
Dielytra..... 421
Dillisk..... 158
Dill Seed..... 153
Dillydil Weed..... 281
Dittany..... 154
" American..... 154
" Mountain.... 154
Dock, Curled..... 156
" Narrow..... 156
" Water..... 155
" Great Water... 155
" Yellow..... 156
Dogachamus..... 306
Dog Button..... 301
" Fennel..... 281
" Grass..... 247

Dog Tree..... 67
" Weed..... 247
Dogsbane..... 55
Dog's Finger..... 185
Dogwood, Alder-leaved 306
" Broad-leaved 306
" Florida..... 67
" Swamp..... 307
" Virginia.... 67
Donkeys' Eyes..... 140
Door Weed.....208, 318
Dragon Root..... 234
Dragon's Claw..... 143
Dragonwort..... 54
Dropberry..... 388
Dropsy Plant..... 36
Duckretter..... 212
Duck's Foot..... 273
Dulse..... 158
Dwale..... 48
Dwarf Ground Nut.... 195
" Mallow..... 271
Dysentery Weed 289

Eagle Vine..... 147
Earth Gall..... 212
Earth Smoke..... 188
Easter Giant 54
East India Catarrh Root 189
Elder..... 159
" Common..... 159
" Dwarf..... 160
" Prickly..... 161
" South'n Prickly 161
" Sweet. 159
" Wild..... 160
Elecampane..... 162
Eleuthera Bark..... 96
Elk Wood..... 163
Elm, Indian..... 164
" Red..... 164
" Slippery..... 164
" Sweet..... 164
Emetic Herb..... 265
" Root..... 399
" Weed..... 265
Englishman's Foot.... 326
Ergot.....165, 353
Eryngo, Water..... 166
Euphorbia..... 167
Evans Root 31
Eve's Cup..... 432
Eye Balm..... . 197
" Root..... 197
Eyebright.....103, 265

Fairy Fingers..... 185
" Gloves..... 185
False Coltsfoot..... 380
" Grapes..... 238
Featherfew..... 174
Febrifuge Plant..... 174
Felonwort..... 57
Felwort..... 192
Female Fern..... 32, 329
" Regulator..... 259
Fennel Seed..... 168
Fenugreek..... 169
Fern Bush..... 172
Fern Gale..... 171
" Male..... 73, 170
" " Shield..... 170
" Meadow 171
" Rattlesnake..... 135
" Rock..... 270
" Root..... 329
" Royal Flowering. 73
" Spleen..... 172
" Spleenwort..... 172
" Sweet..... 172
Ferry, Sweet..... 172
Feverfew..... 174
Fever Bush..... 173
" Root.....143, 175
" Tree.....176, 184
" Tree of Australia 176
" Twig..... 56
" Twitch..... 56
" Wood..... 173
Feverwort..... 64
Fieldwort 281
Field Balsam..... 258

Field Weed..... 281
Figwort.....177, 367
" Herb..... 367
" Knotty-rooted.. 177
" Water..... 53
Finger Flower..... 185
" Leaf..... 181
Fir Tree..... 178
Fire Weed..... 179
Firrape..... 85
Fish-mouth..... 37
Fit Plant..... 180
" Root..... 180
Fivefinger..... 181
Fivefingers Root..... 195
Five Leaves..... 238
Flag Lily..... 63
" Sweet..... 412
Flagroot, Blue..... 63
" Sweet..... 412
Flannel Flower..... 292
Flax, Mountain..... 383
Flaxseed..... 182
Fleabane..... 183
" Canada..... 183
" Philadelphia.. 365
Flesh-colored Asclepias 232
Florida Bark..... 184
" Bean..... 140
Flower de luce..... 63
Flux Root..... 327
Flytrap..... 55, 432
Foles Foot..... 133
Folks' Glove..... 185
Forefathers' Cup..... 432
Foxglove..... 185
" Purple..... 185
Friar's Cap..... 3
" Cowl..... 3
Fringe Tree..... 186
" " False..... 1
Frog Lily..... 261
Frost Plant..... 187
" Weed..... 187
Frostwort..... 187
Fucus..... 370
Fullers' Herb..... 387
Fumitory..... 188
Fustic, Young..... 1

Gag Root..... 265
Galangal..... 189
Galangale..... 189
Galangall..... 189
Gale, Sweet..... 171
Galls..... 299
Garantogen..... 195
Garget..... 190
Garlic..... 191
Gayfeather..... 379
Gem Fruit..... 136
Gentian..... 192
" American..... 193
" Blue..... 193
" Yellow..... 131
Georgia Bark..... 184
Geranium, Spotted..... 142
Germander..... 356
Gill-over-the-ground... 239
Gillrun..... 239
Ginger, African..... 194
" Indian..... 380
" Jamaica..... 194
" Wild..... 380
Ginseng..... 195
" Blue..... 126
" Yellow..... 126
Gipsywort..... 76
Goatsbane..... 3
Golden-bough..... 286
Golden Motherwort.... 258
" Rod..... 196
Golden Rod, Sweet-scented..... 196
Goldenseal..... 197
Golden Senecio..... 259
Goldthread..... 198
Goosefoot..... 303
Goose-grass..... 118
Goose's Hare..... 118
Grains Paradise..... 199
Gravel Plant..... 200

Gravel Root..... 339
" Weed..... 200
Grindelia..... 201
Ground Apple..... 105
" Berry..... 107
" Holly..... 325
" Laurel..... 200
" Lily..... 50
" Lemon..... 273
" Moss..... 204
Guaiac Wood..... 202
Guarana..... 203
Guinea Grains..... 199
Gum Plant..... 134
Gunbright..... 352

Hackmatac..... 413
Hair-cap Moss..... 204
Hardhack.....205, 403
Hardock..... 77
Hareburr 77
Hares Beard..... 292
Hartshorn Bush..... 73
Harvest Lice..... 145
Haw, Black..... 206
Hawkweed..... 62
Haymaids..... 239
Healall.....207, 367, 403
Healing Herb..... 134
Heartsease..... 208
Hedgemaids..... 239
Hellebore, American.. 212
" Black..... 209
" False..... 212
" Fetid..... 82, 210
" Green..... 212
" Stinking.... 210
" " Black. 210
" Swamp.... 212
" White..... 211
" " Am... 212
" " European..... 211
Helmet Flower..... 368
" Pod..... 423
Hemlock..... 213
Hemlock, American.... 116
" " Water. 116
" Poison..... 116
" Spotted. 116, 117
" Water..... 116
" Wild.....116, 117
Hemp, Black Indian... 231
" White " 232
Henbane..... 214
Herb Christopher..... 73
Hickory Tree..... 373
Highbelia..... 92
Hig Taper..... 292
Hillberry..... 107
Hindheel..... 414
Hini..... 59
Hippo..... 399
" Indian..... 233
Hip Tree..... 157
Hive Vine..... 401
Hog Apple..... 273
" Bean..... 214
Hogweed..... 444
Holly, American..... 215
Hollyhock..... 217
Holmes' Weed..... 367
Holy Herb..... 448
Honey Bloom..... 55
Honeysuckle, Bush.... 218
Hoodwort..... 368
Hops..... 219
" Wild..... 70
Hop Tree..... 335
Horehound..... 220
" Water..... 76
" White..... 220
Horse Balm..... 403
" Flea Weed..... 235
" Fly Weed..... 235
" Gentian..... 175
Horse-heal..... 162
Horse Hoof..... 133
" Mint..... 284
" " Sweet.... 154
" Pipe..... 352
" Radish..... 221

Horse-tail Rush..... 352
Horse Weed. 183, 205, 222, 403
Hound's Tongue..... 223
House Leek..... 224
" " Small..... 225
Hove..... 239
Huckleberry..... 435
Huntsman's Cup..... 432
Hurr-burr..... 77
Hydrangea..... 226
" Wild..... 226
Hyeble..... 160
Hyssop..... 227
" Wild..... 427

Iceland Moss..... 228
Ice Plant..... 180
" Vine..... 309
Indian Dream..... 347
" Hemp, Am..... 230
" Lettuce..... 131
" Paint..... 61
" Pipe..... 180
" Plant..... 197
" Posey..... 258
" Root..... 395
" Shoe..... 287
Indigo Weed..... 235
" Wild..... 235
" Wild, False.... 235
" Yellow..... 235
Ink Root..... 278
Ipecac, American..... 167
" Milk..... 399
" White..... 167
" Wild.....167, 175
Irish Moss..... 236
Iron Wood..... 237
Itch Weed..... 212
Ivory Plum..... 107
Ivy..... 252
" Bark, American.... 238
" Big-leaved..... 251
" Ground..... 239
" Poison..... 328

Jaborandi..... 240
Jack-in-the-pulpit..... 234
Jacob's Ladder..... 2, 241
Jalap..... 242
" Cancer..... 190
" Wild..... 274
Jamestown Weed..... 417
Jaundice Berry..... 39
" Root..... 197
Jerusalem Tea..... 303
Jessamine, Yellow..... 243
Jesuits' Bark..... 320
Jewel Weed..... 101
Jews'harp Plant..... 50
Jimson Weed..... 417
Job's Tears..... 244
Joepye..... 339
Johnswort..... 245
Juniper Berries..... 246
" Bush..... 246

Kassamah Root..... 189
Kidney Root..... 339
King's Clover..... 248
" Cure..... 325
" Fern..... 73
Kinnikinnick.....306, 425
Kino Root, American.. 142
Knight's Spur..... 250
Knitback..... 134
Knob Grass..... 403
" Root..... 403
Knot Grass..... 247
" Weed, Spotted... 208
Knotty Brake..... 170
Koosso..... 148
Kousso..... 148
Kussander..... 274

Labrador Tea..... 249
Ladies' Glove..... 185
" Slipper..... 287
" Thumb..... 208
Lad's Love..... 392
Lake Weed..... 318
Lambkill..... 252
Lambs' Quarter..... 50

Larch..... 413
" American..... 413
" Black..... 413
Lark Heel..... 250
Larks' Claw..... 250
Larkspur..... 250
Laurel..... 43
" American..... 251
" Broad-leaved... 251
" Mountain..... 251
" Narrow-leaved.. 252
" Poison..... 252
" Sheep..... 252
Lavender..... 253
" Garden..... 253
" Thrift..... 278
Lavose..... 266
Leaf Cup, Yellow..... 45
Leather Bush..... 254
Leatherwood 254
Leaver Wood..... 254
Leopardsbane..... 23
Leptandra, Purple..... 59
Lettuce, Garden..... 256
" Liverwort..... 88
" Wild..... 88, 257
Licorice..... 263
Life Everlasting..... 258
Life-of-man..... 395
Life Root..... 259
Lignum Vitæ..... 202
Lily, Pond..... 260
" White..... 260
" White Pond..... 260
" Yellow " 261
Lime Tree..... 41, 262
" " Fruit..... 5
Linden..... 41
" Flowers..... 262
Linseed..... 182
Lion's Ear..... 288
" Foot..... 89
" Tail..... 288
" Tooth..... 151
Liquorice 263
Liver Leaf..... 264
Liver Leaf, Kidney.... 264
" Lily..... 63
" Moss..... 264
" Weed..... 264
Liverwort..... 264
" Noble..... 264
Lobelia..... 265
" Blue..... 92
" Red..... 93
Locust Bloom..... 262
" Plant..... 371
Lofty Quassia..... 338
Loose Strife..... 438
Lords and Ladies..... 234
Lovage..... 266
Love lies bleeding..... 321
Lungwort..... 267
" Bullock's.... 292
" Maple..... 268
Lupuline..... 219
Lyre Tree..... 434

Mace 300
Mad Apple..... 417
Mad-dog-weed..... 368
Madweed..... 368
Magnolia..... 269
Maidenhair..... 270
Mallow, Low..... 271
" Marsh..... 272
Mandrake..... 273
" American... 273
Man-in-the-ground..... 274
Man-of-the-earth..... 274
Man Root..... 274
Maple, Ground..... 357
" Red 275
" Swamp..... 275
Marcory..... 340
Marestail..... 436
Marjoram, Sweet..... 277
Marsh, Clover..... 72
" Rosemary 278
" Turnip..... 234
Marigold 276
Mary Bud..... 276

Masterwort..... 17, 279
Matico Plant..... 280
Maudlin, Water..... 11
Maudlinwort..... 149
May Flower..... 200
" Queen Moss..... 204
" Weed..... 281
Maywort..... 281
Meadow Bloom..... 80
" Cabbage..... 82
" Pride..... 131
" Root..... 278
" Scabish..... 124
" Sweet.....205, 233
Meal Berry..... 425
Mealy Tree..... 24
Mechameck..... 274
Mechoacan..... 274
Melilot..... 248
Mezereon..... 282
" American.... 254
Milfoil..... 446
Milk Sweet..... 118
Milkweed.....283, 399
" Common..... 283
" Wandering... 55
Mistletoe..... 286
Mitrewort..... 136
Moccasin Root..... 287
Mohawk Weed..... 49
Monkey Flower..... 287
Monkshood..... 3
Moon Flower..... 72
Moonseed..... 310
Moosewood..... 254
Mortification Root..... 272
Motherwort..... 288
Mountain Box..... 425
" Mint..... 34, 285
" Sweet..... 343
Mourning Bride..... 365
" Widow..... 365
Mousebane..... 3
Mouse Ear..... 289
Mouth Root..... 198
" Smart..... 68
Mugwort..... 290
Mulberry..... 291
Mullein..... 292
Musk Root..... 407
Musquash Root..... 116
Mustard, Black..... 293
" White..... 294
Myrrh..... 295
Myrtle..... 42
" Bog..... 72
" Dutch..... 171
" Flag..... 412
" Grass..... 412
" Sweet..... 412
" Wax..... 42

Naked Ladies..... 129
Nanny Berry..... 296
" Bush..... 296
Necklace Weed..... 128
Neckweed..... 68, 230
Nephritic Plant..... 297
Nerve Root..... 287
Nest Root..... 180
Nettle..... 298
Networt..... 381
New Jersey Tea..... 343
Nightshade, Deadly... 48
" Fetid..... 214
" Garden... 57
" Stinking.. 214
" Woody... 57
Ninsin..... 195
Noah's Ark..... 287
Noble Pine..... 325
Nosebleed..... 446
Nutgalls..... 299
Nutmegs..... 300
Nux Metella..... 301
" Vomica..... 301

Oak Bark, Black..... 302
" " Red..... 302
" " White..... 302
Oak, Dyers'..... 299
" of Jerusalem.... 303

Oak, Poison..... 328
Oil Nut..... 81
Old Maid's Pink..... 387
Old Man..... 392
Olive, Spurge..... 282
One Berry..... 401
Onion, Bog..... 234
" Sea..... 402
Orange Flowers..... 304
" Peel..... 304
" Root..... 197
" " Climbing 56
Orcanette..... 16
Orris Root..... 305
Osier, Green.... 306
" Red..... 307
Oswego Tea..... 34
Ova-ova..... 180
Oxadoddy..... 59
Ox Balm..... 403
Ozier, Green..... 306
" Red..... 307

Palma Christa..... 308
Pappoose Root..... 126
Paradise Seed..... 199
Pareira Brava..... 309
Parilla, Yellow..... 310
Pariswort..... 50
Parsley..... 311
" Poison..... 116
" Sea..... 266
" Water..... 116
Parsnip, Cow..... 279
Partridge Berry.....107, 401
Pasque Flower..... 336
Patience Dock..... 54
Paul's Betony..... 76
Peach..... 312
Peachwort..... 208
Pearl Moss..... 236
Pelican Flower..... 384
Pellitory Bark..... 27
" Bastard..... 385
" German..... 385
" of Spain.... 313
Pellitory Root..... 313
Pennyroyal..... 314
Peony..... 315
Pepper, Bird..... 316
" Black..... 317
" Bush, Sweet.. 15
" Cayenne..... 316
" Elder..... 280
" Jamaica..... 322
" Java..... 144
" Maleguetta.... 199
" Red..... 316
" Water..... 318
Pepperidge Bush..... 39
Peppermint..... 319
Peruvian Bark..... 320
Petty Morrel..... 395
Pewterwort..... 352
Physic, Indian..... 233
" Root..... 59
Picac..... 399
Pickaway Anise..... 335
Pickerel Weed..... 377
Pickpocket..... 375
Pickpurse..... 375
Pigeon Berry..... 190
" Tree..... 161
Pilewort.. 321
Pilot Weed..... 350
Pimento..... 322
Pimpernel, Blue..... 368
" Scarlet.... 376
" Small..... 364
" Water..... 68
Pine, White..... 323
" Tulip.....287, 325
Pink, Carolina..... 324
" Indian..... 324
" Mountain..... 200
" Root..... 324
" Winter..... 200
Pipsissewa..... 325
" Spotted.... 440
Pistachio..... 442
Pitcher Plant..... 432
Plantain..... 326

Plantain, Net-leaf..... 381
" Spotted..... 381
Pleurisy Root..... 327
Pock Wood..... 202
Poison Berry..... 127
" Flag..... 63
" Nut..... 301
" Tobacco..... 214
" Vine..... 328
Poke..... 190
" Indian..... 212
" Stinking..... 82
" Virginia..... 190
" Weed..... 190
Polar Plant..... 350
Polecat Weed..... 82
Pollom, Red..... 107
Polypod Rock..... 329
Polypody..... 329
Pomegranate..... 330
" Fruit..... 330
Pompion..... 337
Pool Root..... 359
Poolwort..... 359
Poor Man's Pharmacetty 375
Poor Robin..... 118
Poplar, American..... 331
" Balsam..... 35
" Bark..... 331
" Carolina..... 35
" Tacamahac.... 35
" White.....331, 434
" Wild..... 434
" Yellow..... 434
Poppy..... 332
Potato, Wild..... 274
Poverty Weed..... 258
Prairie Bush, Stinking. 335
" Dock..... 333
" Grub..... 335
" Pine..... 379
" Weed..... 333
Prickly Pear..... 83
Prickwood..... 78
Pride of China..... 44
" of India..... 44
Pride Weed..... 183
Priest's Crown..... 151
" Pintle..... 234
Prim..... 334
Primrose, Evening.... 366
" Tree..... 366
Primwort..... 334
Princes' Feather..... 321
" Pine..... 325
Privet..... 334
Privy..... 334
Ptelea..... 335
Puccoon, Red..... 61
" Yellow..... 197
Puff-ball..... 151
Puke Weed..... 265
Pulsatilla..... 336
Pumpkin Seed..... 337
Punic Apple..... 330
Punk..... 420
Purging Berries..... 74
" Root..... 399
Purslain, Milk..... 399
" White..... 399
Pursley, Milk..... 399
" White..... 399
Purvain..... 427
Pyramid Flower..... 131
" Plant..... 131
Pyrola..... 325
" Round-leaved. 88

Quack Grass..... 247
Quaker Button..... 301
Quassia..... 338
Queen's Delight..... 340
Queen of the Meadow. 339
Queen's Root..... 340
Quickens..... 247
Quick-in-the-hand..... 101
Quick Grass..... 247
Quillai Bark..... 386
Quillaya..... 386
Quince Seed..... 341
Quitch..... 247
" Grass..... 247

Quitel..... 59
Quiver Leaf..... 331

Rabbits' Root..... 360
Raccoon Berry..... 273
Ragged Cup..... 229
Ragweed..... 444
Ragwort..... 259
Rainbow Weed..... 438
Raspberry..... 342
" Ground..... 197
" Red..... 342
Rattle-bush..... 235
Rattle Root..... 125
Rattlesnake Leaf..... 381
" Root...50, 89, 125
" Weed.....62, 166
Ratsbane..... 301
Red Berry..... 195
" " Tea..... 107
" Ink Plant..... 190
" Rod..... 307
" Root..... 343
" Seed..... 424
" Shanks..... 208
" Weed..... 190
" Wood..... 362
Rhatany..... 344
Rheumatism Root..... 423
Rhubarb, American... 345
" India..... 346
Richweed.....125, 403
Robin-run-away..... 239
Robin-run-in-the-hedge 239
Rock Rose..... 187
Rope Bark..... 254
Rose, Christmas..... 209
" Dog..... 157
" Pink..... 103
" Flowers, Pale.. 348
" " Red.. 348
Rosemary Leaves..... 349
Rosey Bush..... 205
Rosin Weed.....229, 350
Rough Root..... 379
Round-leaved Plantain 326
Round-leaved Sundew 409
Round Wood..... 26
Rue..... 351
Rush, Dutch..... 352
" Polishing..... 352
" Scouring..... 352
" Sweet..... 412
Rye, Robins'..... 204
" Smut of..... 165
" Spurred.....165, 353

Saffron..... 354
" American..... 354
" Bastard..... 354
" Dyers'..... 354
" False..... 354
" Meadow..... 129
Sagackhomi..... 425
Sage..... 355
" Indian..... 64
" Lyre-leaved..... 86
" Meadow..... 86
" Wild..... 86
" Wood..... 356
Saint Christopher Herb 73
" Johnswort..... 245
Salad..... 256
Saloop..... 361
Salt Rheum Weed.... 37
" Rock Moss..... 236
Sangree Root..... 384
Sangrel..... 384
Sanicle, American.... 357
" Black..... 358
" White..... 359
Sarsaparilla, American .360
" Bristlestem 160
" False..... 360
" Spanish.... 360
" Texas..... 310
" Wild..... 360
" Yellow.... 310
Sassafras..... 361
" Swamp..... 269
Saunders, Red..... 362
Savin..... 363

Savoyan..... 118
Sawwort..... 379
Saxifrage 364
" Small..... 364
" " Burnet. 364
Saxifrax..... 361
Scabious 183
" Sweet..... 365
Scabish..... 366
Scabwort..... 162
Scarlet Berry..... 57
Scammony, Wild..... 274
Scratch Weed..... 118
Scrofula Plant..... 367
Scrubby Grass..... 369
Scullcap..... 368
" Blue..... 368
" Side-flowering 368
Scurvy Grass..... 369
Sea Beans..... 140
" Holly..... 216
" Lavender 278
Seal Root..... 388
Sealwort..... 388
Sea Wrack..... 370
Sedge, Sweet..... 412
Seneca Root..... 383
Senega " 383
Senna, Alexandrian... 372
" American..... 371
" India 372
" Wild 371
Septfoil..... 419
Setwall 426
Seven Barks..... 226
Shag-bark Tree..... 373
" Walnut 373
Shamrock..... 374
" Indian..... 50
" Water..... 72
Sheep Berry..... 296
" Poison..... 252
" Weed..... 387
Shell-flower..... 37
Shepherds' Club..... 292
" Knot..... 419
Shepherds' Purse..... 375
Shepherds' Weather-glass..... 376
Shield Root..... 170
Shin Leaf..... 88
Shot Bush..... 161
Shovel Weed..... 377
Shrub Yellow Root.... 447
Sicily Root..... 115
Sickle Weed..... 318
Side-saddle Flower.... 432
" Plant..... 432
Silkweed..... 283
" Common..... 283
" Rose-colored. 232
Silky Cornel..... 307
Silver Leaf.....205, 340
" Weed..... 205
Simpler's Joy..... 427
Skevish 365
Skoke..... 190
Skunk Weed..... 82
Sleepwort..... 256
Slipper Root..... 287
Slippers..... 101
Sloe..... 206
Sloven Wood..... 392
Smallpox Plant..... 432
Smart Weed..... 318
Smellage..... 266
Smilax, Boston..... 378
" Cape..... 378
Smoke Plant..... 1
" Tree..... 1
Snake Bite..... 50, 257
" Head..... 37
" Leaf, Yellow... 6
" Lily..... 63
" Milk..... 399
Snakeroot, Black.....125, 358
" Button....166, 379
" Canada.... 380
" Coltsfoot... 380
" Corn..... 166
" Heart..... 380
" Rattle.....125, 381

Smakeroot, Red Berry. 127
" Sampson... 382
" Senega..... 383
" Seneka.... 383
" Southern.. 380
" Vermont... 380
" Virginia... 384
" White 359
" " Berry 128
Snakeweed.....257, 384
" Poison.... 116
Snapping Hazel..... 442
Snap Weed.....101, 173
Snapwood..... 173
Sneezewort.....385, 411
Snowball, Wild..... 343
Soap Tree Bark..... 386
Soapwort..... 387
Soldiers' Herb..... 280
Solomon Seal..... 388
" Giant.... 388
" Small.... 389
Sorrel, Mountain..... 390
" Sheep..... 391
" Tree..... 163
" Wood.....374, 391
Sour Trefoil..... 374
Southernwood..... 392
Spadic..... 123
Spanish Juice..... 263
" Needles..... 145
" Pepper..... 316
Sparrow Grass..... 30
Spatter Dock..... 261
Spearmint..... 393
Speedwell..... 394
" Tall..... 59
" Virginia.... 394
Spice Berry..... 107
" Birch..... 52
" Bush..... 173
" Fever Bush..... 173
" Wood..... 173
Spignet..... 395
Spikenard..... 395
" American... 395
Spikenard, Small..... 360
Spikenard Tree..... 161
Spindle Tree..... 78
Spleen Amaranth..... 321
Spleenwort..... 396
" Bush..... 172
Spoonhunt..... 251
Spoonwort..... 369
Spotted Comfrey..... 267
" Lungwort..... 267
Spruce, Hemlock..... 213
" Weeping..... 213
Spunk..... 397
Spurge..... 167
" Black..... 398
" Blooming..... 399
" Large Flow'ing 399
" Spotted..... 398
" Large Spotted. 400
Square Stalk..... 367
Squaw Bush..... 141
" Mint..... 314
" Root.....125, 126
" Vine..... 401
" Weed..... 259
Squill..... 402
Squirrel Pea, Ground.. 423
Staff Tree, Climbing.. 56
Staff-vine..... 56
Stagger-weed..... 421
Stammerwort..... 444
Star Bloom..... 324
Starchwort..... 234
Star Flower..... 124
" Grass..... 60
" " False..... 60
" Root..... 60
Starwort, Drooping.... 424
Stave Wood..... 338
Steeple Bush..... 205
Stick Seed..... 145
Stickwort..... 10
Stillingia..... 340
Stinging Nettle..... 298
Stinking Chamomile... 281
" Weed..... 303

Stinkwort..... 417
Stitchwort..... 111
Stone Brake..... 329
" Mint..... 154
" Root..... 403
Storax Bark..... 404
Stork's Bill..... 142
Strawberry..... 405
" Bush..... 78
" Shrub 78
Succory..... 112
" Wild.....103, 112
Sumach..... 406
" Climbing..... 328
" Pennsylvania.. 406
" Smooth..... 406
" Upland..... 406
Sumbul..... 407
Summer Savory..... 408
Sundew..... 409
Sundrops 366
Sunflower 410
" False..... 411
" Garden..... 410
" Swamp..... 411
Sutterberry..... 27
Swallowwort..... 283
" Orange... 327
" Silky..... 283
Swamp Cabbage..... 82
" Milkweed..... 232
Swan Weed..... 124
Sweating Plant..... 64
Sweat Root..... 2
" Weed 272
Sweet Bush..... 172
" Gum Bark..... 404
" Liquorice..... 263
" Lucerne..... 248
" Magnolia 269
" Root..... 412
Sweet-scented Life Everlasting..... 258
Sweet-scented Water Lily..... 260
Sweet-smelling Trefoil. 11
Sweet Viburnum..... 296
" Willow..... 171
" Wood..... 263
" " Bark 96
Swine Snout..... 151

Tailed Pepper..... 144
Tallow, Bayberry..... 42
" Shrub..... 42
" Vegetable, Am 42
Tamarack..... 413
Tansy..... 414
" Double..... 414
" Double-flowered. 414
Tea Berry..... 107
" Mountain..... 107
Tearel..... 64
Tetter Berry..... 70
Tetterwort..... 100
Thick Weed..... 314
Thimbleweed..... 415
Thistle, Bitter..... 94
" Canada..... 416
" Cursed..... 416
" Holy..... 94, 416
" Root..... 416
Thorn-apple..... 417
Thoroughstem..... 64
Thorough Wax..... 64
Thoroughwort..... 64
Three-leaved Arum... 234
Thrift, American..... 278
Throat Root..... 31
Throatwort..... 379
Throwwort..... 288
Thunder Plant..... 224
Thyme..... 418
" Basil..... 84
Tickle Weed..... 212
Tick Weed..... 314
Tilia Flowers..... 262
Tinker's Weed..... 175
Toad Lily..... 260
" Root..... 127
Tobacco, Indian..... 265
" Mountain.... 23

Tobacco, Wild..... 265
" Wood..... 442
Toothache Bush..... 27
" Tree..... 27
Tormentil, American.. 142
Tormentilla..... 419
Tory Weed..... 223
Touch-me-not..... 101
Touch Wood..... 420
Toywort..... 375
Trailing Sumach..... 328
Traveller's Joy..... 427
Tree Lungwort..... 268
Trefoil..... 264
" Marsh..... 72
" Shrubby..... 335
Trembling Poplar..... 331
" Tree..... 331
Trillium..... 50
Truelove..... 50
Trumpet Weed..... 339
Tuber Root..... 327
Tulip Poplar..... 434
" Tree..... 434
Tun Hoof..... 239
Turkey Claw..... 143
" Corn..... 421
" Pea..... 421
Turmeric Root..... 422
Turnip, Dragon..... 234
" Indian..... 234
" Meadow..... 234
" Pepper..... 234
" Swamp..... 234
" Wild..... 234
Turpentine Sunflower. 333
Turtle-bloom..... 37
Turtle-head..... 37
Twin-leaf..... 423

Umbel..... 287
Uncum..... 259
Unicorn..... 60, 424
Unicorn, False..... 424
" Root..... 60
Unicorns' Horn..... 424

Universe Vine..... 425
Upland Cranberry.... 425
Uvadalia..... 45
Uva Ursi..... 425

Valerian, American... 287
" Am. English. 426
" " Greek. 2
" False..... 259
" English..... 426
" Officinal.... 426
Vandal Root..... 426
Vanilla Leaf..... 152
Velvet Leaf..... 309
Velvet Plant..... 292
Venus' Cup..... 287
" Shoe..... 287
Vervain..... 427
" American..... 427
" Blue..... 427
" False..... 427
Violet, Adder's..... 381
" Birdsfoot..... 428
" Bloom..... 57
" Blue..... 428
" Dogstooth..... 6
Vine Maple..... 310
Virginia Cowslip..... 267
Virgin's-bower..... 430
Vomitwort..... 265

Wafer Ash..... 335
Wahoo..... 431
Wake Robin..... 234
Wallflower, Western.. 55
Walnut..... 373
" Lemon..... 81
" White..... 81
Water Cabbage..... 260
" Cup..... 432
" Flag..... 63
" Nerve Root.... 232
Watermelon..... 433
Waw Weed..... 259
Wax Berry..... 42
" Cluster..... 107

Waxwork..... 56
Waythorn..... 74
Weathercock..... 101
Whistle Wood..... 275
White Bay..... 269
" Beads..... 128
" Cap..... 205
" Leaf..... 205
" Root..... 327
" Weed..... 149
" Wood..... 434
Whorlywort..... 59
Whortleberry..... 435
" Black.... 435
Wickup..... 436
Wicopy Herb..... 436
" Indian..... 436
Wig Tree..... 1
Wild Allspice..... 173
" Brier..... 157
" Coffee..... 175
" Jessamine..... 243
" Lemon..... 273
" Licorice..... 360
" Mandrake..... 273
" Rhubarb..... 274
" Woodvine..... 238
Willow Herb..... 436
" " Hooded.. 368
" " Purple... 438
" Pussy..... 437
" Red..... 307
" Rose..... 307
" Sage..... 438
" White..... 439
Wind Root..... 327
Wing Seed..... 335
Winter Berry..... 12
" Bloom..... 442
" Clover..... 401
" Fern..... 347
Wintergreen..... 325
" Pear Leaf 88
Wintergreen Round-leaved..... 88
Wintergreen, Spicy... 107
" Spotted.. 440
" Spring... 107
Winter's Bark..... 441
Witch Grass..... 247
" Hazel..... 442
Wolf Foot..... 76
" Grape..... 57
" Root..... 3
Wolfsbane..... 3
Woodbine.....238, 243
Woody Climber..... 238
Woolen..... 292
Woolybut..... 176
Worm Grass..... 324
" Root, American. 234
Wormseed..... 303
" American.. 303
Wormwood..... 443
" Roman.... 444
Wymote..... 272

Yam Root, Wild..... 445
Yarrow..... 446
Yaw Root..... 340
Yellow Berry..... 273
" Eye..... 197
" Ladies' Slipper. 287
" Lily Root..... 261
" Moccasin..... 287
" Paint Root.... 197
" Root..56, 197, 198, 447
" Umbel..... 287
" Wood..... 27
Yerba Santa..... 448
Youthwort..... 409

BOTANICAL INDEX.

*** The numbers refer to the paragraph not the page.

Abies balsamea..... 178
" Canadensis..... 213
Acer rubrum..... 275
Achillea Millefolium..... 446
" Ptarmica..... 385
Aconitum Napellus..... 3
Acorus Calamus..... 412
Actæa alba..... 128
" rubra..... 127
Adiantum pedatum..... 270
Æsculus Hippocastanum.. 110
Agathotes Chirayta..... 114
Agave, Americana..... 8
" Virginica..... 9
Agrimonia Eupatoria..... 10
Aletris farinosa..... 60
Allium sativum..... 191
Alnus rubra..... 13
" serrulata..... 14
Alpina Galanga..... 189
Althæa officinalis..... 272
" rosea..... 217
Amarantus hypochondriacus..... 321
Ambrosia artemisiæfolia... 444
" trifida..... 222
Amomum Granum paradisi 199
" Zingiber..... 195
Ampelopsis quinquefolia.. 238
Amygdalus Persica..... 312
Anacyclus Pyrethrum.... 313
Anagallis arvensis..... 376
Anchusa tinctoria..... 16
Andromeda arborea..... 163
Anemone Pulsatilla..... 336
Anethum graveolens..... 153
Angelica atropurpurea.... 17
Anthemis Cotula..... 281
" nobilis..... 105
Apium graveolens..... 102
Aplectrum hyemale..... 4
Apocynum androsæmifolium..... 55
Apocynum cannabinum... 231
Aralia hispida..... 160
" nudicaulis..... 360
" racemosa..... 395
" spinosa..... 161
Arctium lappa..... 77
Arctostaphylos Uva Ursi.. 425
Areca Catechu..... 22
Aristolochia Serpentaria.. 384
Arnica montana..... 23
Artanthe elongata..... 280
Artemisia abrotanum..... 392
" Absinthium..... 443
" vulgaris..... 290
Arum triphyllum..... 234
Asarum Canadense..... 380
Asclepias cornuti..... 283
" incarnata..... 232
" mataperro..... 147
" Syriaca..... 283
" tuberosa..... 327

Asparagus officinalis..... 30
Aspidium Filix Fœmina.. 32
" " Mas..... 170
Asplenium Adiantum nigrum..... 397
Aster puniceus..... 124
Atropa Belladonna..... 48

Balsamodendron Myrrha.. 295
Baptisia tinctoria..... 235
Barosma crenata..... 71
Berberis vulgaris..... 39
Betonica officinalis..... 51
Betula lenta..... 52
Bidens frondosa..... 145
" tripartita..... 47
Boletus fomentarius..... 397
" ignarius..... 7
" laricis..... 7
Borago officinalis..... 65
Botrychium fumaroides... 135
Brayera anthelmintica.... 148
Bryonia alba..... 70
Buxus sempervirens..... 66

Cactus grandiflorus..... 83
" Opuntia..... 83
Calamintha officinalis.... 84
Calendula " 276
Canella alba..... 87
Cannabis Indica..... 230
" sativa..... 230
Capsella bursa-pastoris... 375
Capsicum annuum..... 316
" baccatum..... 316
Carthamus tinctorius..... 354
Carum carui..... 90
Carya alba..... 373
Caryophyllus aromaticus. 122
Cassia acutifolia..... 372
" elongata..... 372
" Marilandica..... 371
Castanea Americana..... 109
Caulophyllum thalictroides 126
Ceanothus Americana.... 343
Celastrus scandens..... 56
Centaurea benedicta..... 94
Cetraria Islandica..... 228
Chelidonium majus..... 100
Chelone glabra..... 37
Chenopodium anthelminticum..... 303
Chimaphila maculata..... 440
" umbellata..... 325
Chionanthus Virginica.... 186
Chondrus crispus..... 236
Cichorium intybus..... 112
Cimicifuga racemosa..... 125
Cinchona Calisaya..... 320
Cirsium arvensis..... 416
Cissampelos Pareira..... 309
Citrullus colocynthis..... 130
Citrus Aurantium..... 304
" Limetta..... 5
Clematis Virginica..... 430
Clethra alnifolia..... 15
Cocculus palmatus..... 132
Cochlearia Armoracia.... 221
" officinalis..... 369
Coix lachryma..... 244
Colchicum autumnale.... 129
Collinsonia Canadensis... 403
Comptonia asplenifolia.... 172
Conium maculata..... 116
Convallaria multiflora.... 388
" racemosa..... 389
Convolvulus panduratus.. 274
Coptis trifolia..... 198
Corallorhiza odontorhiza. 143
Coriandrum sativum..... 137
Cornus Circinata..... 306
" Florida..... 67
" sericea..... 307
Corydalis formosa..... 421
Croton Eleuteria..... 96
Cucurbita Citrullus..... 433
" Pepo..... 337
Cuminum Cyminum..... 146
Cunila mariana..... 154
Curcuma longa..... 422
Cydonia vulgaris..... 341
Cynoglossum officinale... 223

Cypripedium pubescens... 287
Cytisus Scoparius..... 69

Daphne Mezereum..... 282
Datura Stramonium..... 417
Daucus Carota..... 95
Delphinium consolida.... 250
Diervilla Canadensis..... 218
Digitalis purpurea..... 185
Dioscorea villosa..... 445
Dirca palustris..... 254
Dracocephalum Canariense 38
Drosera rotundifolia..... 409

Elettaria Cardamomum... 91
Epigæa repens..... 200
Epilobium spicatum..... 436
Equisetum hyemale..... 352
Erechthites hieracifolius.. 179
Erigeron Canadense..... 183
" Philadelphicum.. 365
Eriodyction Californicum. 448
" Glutinosum... 448
Eryngium aquaticum..... 166
" ovalifolium.... 216
Erythoxylon Coca..... 123
Erythronium Americanum 6
Eucalyptus globulus..... 176
Eugenia Pimenta..... 322
Euonymus Americana.... 78
" atropurpureus. 431
Eupatorium aromaticum.. 359
" cannabinum.. 11
" perfoliatum... 64
" purpureum... 339
Euphorbia corollata..... 399
" hypericifolia... 400
" Ipecacuanha .. 167
" maculata..... 398
Euryangium Sumbul..... 407

Fagus ferruginea..... 46
Fœniculum vulgare..... 168
Fragaria vesca..... 405
" Virginiana..... 405
Frasera Carolinensis..... 131
Fraxinus acuminata..... 29
" sambucifolius... 25
Fucus versiculosus..... 370
Fumaria officinalis..... 188

Galipea officinalis..... 18
Galium aparine..... 118
Gaultheria procumbens... 107
Gelsemium sempervirens. 243
Gentiana Catesbæi..... 193
" lutea..... 192
" ochroleuca..... 382
Geranium maculatum.... 142
Geum rivale..... 31
Gillenia trifoliata..... 233
Glycyrrhiza glabra..... 263
Gnaphalium polycephalum 258
" uliginosum... 289
Goodyera pubescens..... 381
Gossypium herbaceum.... 139
Grindelia robusta..... 201
Guaiacum officinalis..... 202

Hamamelis Virginica..... 442
Hedeoma pulegioides..... 314
Helenium autumnale..... 411
Helianthemum Canadense. 187
Helianthus annuus..... 410
Helleborus fœtidus..... 210
" niger..... 209
Helonias dioica..... 424
Hepatica Americana..... 264
Heracleum lanatum..... 279
Heuchera Americana..... 357
Hicorya alba..... 373
Hieracium venosum..... 62
Humulus Lupulus..... 219
Hydrangea arborescens... 226
Hydrastis Canadensis..... 197
Hyosciamus niger..... 214
Hypericum perforatum... 245
Hyssopus officinalis..... 237

Ilex opaca..... 215
Impatiens pallida..... 101
Inula Helenium..... 162

Ipomœa Jalapa..... 242
Iris Florentina..... 305
" versicolor..... 63

Jeffersonia diphylla..... 423
Juglans cinerea..... 81
Juniperus communis..... 246
" Sabina..... 363
" Virginiana 99

Kalmia angustifolia..... 252
" latifolia..... 251
Krameria triandria..... 344

Lactuca elongata..... 257
" sativa..... . 256
" virosa..... 255
Larix Americana..... 413
Laurus Benzoin..... 173
" Cinnamomum.... 97
" nobilis..... 43
" Sassafras 361
Lavandula vera..... 253
Ledum latifolium..... 249
Leonurus cardiaca..... 288
Leptandra Virginica..... 59
Leucanthemum vulgare... 149
Liatris odoratissima..... 152
" spicata..... 379
Ligusticum levisticum.... 266
Ligustrum vulgare..... 334
Linum usitatissimum..... 182
Liquidambar orientale.... 404
Liriodendron Tulipifera.. 434
Lobelia cardinalis..... 93
" inflata..... 265
" syphilitica..... 92
Lycopus Europæus..... 75
" Virginicus..... 76
Lythrum salicaria..... 438

Magnolia glauca..... 269
Malva rotundifolia..... 271
Marrubium vulgare..... 220
Matricaria Chamomilla... 106
Melia Azedarach..... 44
Melilotus officinalis..... 248
Melissa Fuchsii..... 33
" officinalis..... 36
Menispermum Canadense. 310
Mentha piperita..... 319
" viridis..... 393
Menyanthes trifoliata..... 72
Mitchella repens..... 401
Mitella cordifolia..... 136
Monarda didyma..... 34
" punctata..... 284
Monotropa uniflora..... 180
Morus rubra..... 291
Mucuna pruriens..... 140
Myrica cerifera..... 42
" Gale..... 171
Myristica fragrans..... 300
Myrsiphyllum asparagoides..... 378

Nepeta cataria..... 98
" glechoma 239
Nuphar advena..... 261
Nymphæa odorata..... 260

Ocymum basilicum..... 40
Œnothera biennis..... 366
" glauca..... 366
Origanum Marjorana..... 277
Orobanche Virginiana.... 85
Osmorrhiza longistylis.... 115
Osmunda regalis..... 73
Ostrya Virginica..... 237
Oxalis acetosella..... 374
Oxyria reniformis..... 390

Pæonia officinalis..... 315
Panax quinquefolium..... 195
Papaver somniferum..... 332
Parthenium integrifolium. 297
Paullinia sorbilis..... 203
Petroselinum sativum.... 311
Phytolacca decandra..... 190
Pilocarpus pennatifolius.. 240
Pimpinella Ansium..... 19
" Saxifraga..... 364

Pinckneya pubens..... 184
Pinus strobus..... 323
Piper Cubeba..... 144
" nigrum..... 317
Plantago major..... 326
Podophyllum peltatum... 273
Polemonium reptans..... 2
Polygala Nuttallii..... 104
" Senega..... 383
Polygonum Bistorta..... 54
" hydropiper.... 318
" Persicaria.... 208
Polymnia uvedalia..... 45
Polypodium vulgare..... 329
Polyporus ignarius..... 420
Polytrichum juniperum... 204
Populus balsamifera..... 35
" candicans..... 35
" tremuloides..... 331
Potentilla Canadensis.... 181
" Tormentilla.... 419
Prenanthes alba..... 89
Prinos verticillatus..... 12
Prunella vulgaris..... 207
Prunus Virginiana..... 108
Ptelea trifoliata..... 335
Pteris atropurpurea..... 347
Pterocarpus santalinus... 362
Pulmonaria officinalis.... 267
Punica Granatum..... 330
Pycnanthemum montanum 285
Pyrethrum parthenium... 174
" tanacetum.... 138
Pyrola rotundifolia..... 88
Pyrus Malus..... 20

Quercus alba..... 302
" infectoria..... 299
" nigra..... 302
" rubra..... 302
Quillaya saponaria..... 386

Ranunculus acris..... 80
Rhamnus catharticus..... 74
Rheum palmatum..... 346
" Rhaponticum..... 345
Rhodymenia palmata..... 158
Rhus cotinus..... 1
" glabrum..... 406
" Toxicodendron..... 328
Ricinus communis..... 308
Rosa canina..... 157
" centifolia..... 348
" Gallica..... 348
Rosmarinus officinalis.... 349
Rubus strigosus..... 342
" villosus..... 58
Rudbeckia laciniata..... 415
Rumex acetosella..... 391
" aquaticus..... 155
" Britannica..... 155
" crispus..... 156
Ruta graveolens..... 351

Sabbatia angularis..... 103
Salix alba..... 439
" nigra..... 437
Salvia lyrata..... 86
" officinalis..... 355
" sclarea..... 117
Sambucus Canadensis.... 159
Sanguinaria Canadensis... 61
Sanicula Marilandica..... 358
Saponaria officinalis..... 387
Sarracenia flava..... 432
" purpurea..... 432
Satureja hortensis..... 408
Scilla maritima..... 402
Sclerotium clavus..... 353
Scrophularia aquatica.... 53
" Marilandica. 367
" nodosa..... 177
Scutellaria lateriflora..... 368
Secale cornutum..... 165
Sedum acre..... 225
Sempervivum tectorum... 224
Senecio aureus..... 259
" gracilis..... 259
Silphium gummiferum.... 333
" laciniatum..... 350
" perfoliatum..... 229
Simaruba excelsa..... 338

Sinapis alba..... 294
" nigra..... 293
Smilax officinalis 360
" peduncularis..... 241
" (pseudo) China... 113
Solanum Dulcamara..... 57
Solidago odora..... 196
Sorbus Americana..... 26
Spermœdia clavus..... 165
Spigelia Marilandica..... 324
Spiræa tomentosa..... 205
Statice Caroliniana..... 278
Stellaria media..... 111
Sticta pulmonaria..... 268
Stillingia sylvatica..... 340
Strychnos Nux Vomica... 301
Symphytum officinale.... 134
Symplocarpus fœtidus.... 82

Tanacetum crispum..... 414
Taraxacum Dens-leonis... 151
Teucrium Canadensis.... 356
Thuja occidentalis..... 21
Thymus vulgaris..... 418
Tilia Americana.....41, 262
" Europæa..... 262
Trifolium pratense..... 120
" repens..... 121
Trigonella Fœnum græcum 169
Trillium pendulum..... 50
Triosteum perfoliatum.... 175
Triticum repens..... 247
Turnera aphrodisiaca..... 150
Tussilago farfara..... 133

Ulmus fulva..... 164
Unisema deltifolia..... 377
Urtica dioica..... 298
Uvularia grandiflora..... 49
" perfoliata,..... 49

Vaccinium corymbosum.. 435
Valeriana officinalis..... 426
Veratrum album..... 211
" viride..... 212
Verbascum Thapsus..... 292
Verbena hastata..... 427
Veronica Beccabunga.... 68
" officinalis..... 394
Viburnum dentatum..... 24
" lentago..... 296
" opulus..... 141
" prunifolium... 206
Viola pedata 428
" rostrata..... 429
Viscum verticillatum..... 286

Wintera aromatica..... 441

Xanthium spinosum..... 79
" strumarium..... 119
Xanthorrhiza Apiifolia.... 447
Xanthoxylum Caroliniaanum..... 28
Xanthoxylum fraxineum.. 27

Zingiber officinalis..... 194

CHENEY & MYRICK,

SOLE AGENTS IN BOSTON FOR THE

PURE

CONCENTRATED MEDICINES

PREPARED BY

B. KEITH & CO., New York,

COMPRISING:

ALKALOIDS, RESINOIDS,

CONCENTRATED TINCTURES,

OILS AND OLEORESINS.

☞ A Descriptive Manual sent on application.